LAKES A ZONE - SETTLEMENT MANAGEMENT AREA

Checklist of All District Plan Land Use Activity Rules Applicable To The Lakes A Zone – Settlement Area



This checklist brings together <u>all</u> of the District Plan rules applicable to land use activities within the Lakes A zone - Settlement Management Area. It's aim is to provide a comprehensive list of the rules in a useful format to assist both those proposing projects involving land use activities and Council staff assessing applications for projects. Working through the checklist will identify:

- rules relevant to a particular project & those that are not applicable,
- the level of information required to be provided in a Project Information Memorandum (PIM) application to ascertain compliance with rules or otherwise
- whether a land use consent is required. If so, the type of consent required.

Please note there is another checklist available which has been specifically designed for alterations and additions to existing houses and also for accessory buildings such as garages which maybe more applicable to your project. In addition to the District Plan rules there are also regional council plans & rules that may apply to your proposal.

The Planning Services team has a Duty Planner service available free of charge to help identify which parts of the District Plan apply to your proposal. For projects within the Lakes A Zone we strongly recommended that you or your consultant make use of this service by making an appointment with the Duty Planner as early as possible during the design of your proposal. Please phone (07) 348 4199 for an appointment. Email enquiries can be sent to planenquiry@rdc.govt.nz.

It is hoped that by identifying relevant rules prior to designing site works and buildings the need for a land use consent may be avoided altogether. Alternatively, if compliance can not be achieved or it is proposed to undertake activities outside of the permitted rules this can be identified early on in the planning process. The type of land use consent required can be ascertained allowing any applicable assessment criteria to be identified, considered at the time of design and addressed in any land use application.

This checklist is not intended to be a substitute for reading the Lakes A part of the District Plan. Please consult Part Twenty of the District Plan for the complete text. Copies of the District Plan are available at the Planning Services Counter, the Rotorua Public Library, or on the Council's website www.rdc.govt.nz under Our Services/ District Plan / Policy / District Plan.

HOW TO USE THIS CHECKLIST:

This checklist can be used EITHER by filling out a hard copy of it of it OR alternatively filling it out electronically.

Copies are available from the Planning Services Office and can be posted to you. Please phone (07) 348 4199 to arrange this. An electronic version is available from the Rotorua District Council's website <u>www.rdc.govt.nz</u> or can be emailed to you if you contact the Planning Services Dept by phoning (07) 348 4199 or by emailing planenquiry@rdc.govt.nz.

The electronic version has field codes through it where comment is required. To turn the field codes on press Alt F9. Press F11 to reach each field code within the checklist.

PLEASE NOTE:


- 1. All words within the rules shown in *italic* are defined in the Definitions section of the Lakes A part of the District Plan (Part Twenty). Those most likely to be related to your project are attached as the last pages to this form. Please consult the definitions as you come across words in *italic* within the checklist.
- 2. Numbering of the rules within this checklist are the same as that within the full text.
- 3. Please note that in most cases the land between the private property boundary & the existing road seal is likely to be within the zoned Sensitive Rural Management Area NOT within the Settlement Management Area. Please confirm by checking the Planning Maps. For any work in this area such as improvement to existing access way or new works the Sensitive Rural rules need to be used. This checklist only contains the rules applicable to land zoned Settlement.

APPLICANT'S NAME: _____

PROPERTY ADDRESS: _____

BRIEF DESCRIPTION OF ACTIVITY:

Rule		ed Activity Rules	Activiti	1 0	 Indicate whether the proposed work: complies or will comply with the permitted rule, (demonstrate how in application) requires land use consent. If so what type? or alternatively that the rule is not applicable to the activity (N/A), For Council use whether further information is required to determine whether permitted or otherwise
	ACTIVI	ITIES RULES			
2.0	A2.1.1	Indigenous Vegetation Disturbance complying with any of the following conditions:	A2.2	Controlled Activities	
Indigenous Vegetation		1. It is <i>indigenous vegetation disturbance</i> for the purpose of creating a <i>building platform</i> or <i>vehicle</i> access to it where:		There are no <i>Controlled Activities</i> .	
Disturbance		a) There is no alternative <i>building platform</i> clear of <i>indigenous vegetation</i> ; and	A2.3	Restricted Discretionary Activities	
		b) The <i>indigenous vegetation</i> is not located within the 2.5 metre <i>buffer</i> from the site boundary; or		There are no <i>Restricted</i> Discretionary Activities.	
		2. It is disturbance of indigenous vegetation that does or will within two years	A2.4	Discretionary Activities	
		 obstruct the view obtained from a <i>viewpoint;</i> or 3. It is trimming of the <i>indigenous vegetation</i>, where the vegetation does or will within two years do any of the following: 	A2.4.1	Any <i>Indigenous Vegetation</i> <i>Disturbance</i> that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> .	
		a) interfere with the operation of existing electricity and telecommunication lines that are <i>Permitted Activities</i> under Rules A37.1.1 , A37.1.2 , B37.1.1	A2.5	Non-Complying Activities	
		and B37.1.2 or interfere with the safe operation of an existing underground gas pipeline; or		There are no Non- Complying Activities.	
		b) be within 5 metres vertical height from a carriageway or the shoulder of a public <i>road</i> , <i>private road</i> , <i>private way</i> or an on-site <i>manoeuvring</i> area (i.e. overhanging branches); or			



	* The timing of transport of <i>exotic vegetation</i> off- <i>site</i> .	
	* Dust prevention or mitigation measures.	
	In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.	
4.2.2	Forest harvesting in the covenanted areas at Lake Tikitapu and Lake Rotokakahi as shown on DPS 54801.	
	Council shall reserve its control and may impose <i>conditions</i> on the following matters:	
	* The staging, the time of day, season and weather <i>conditions</i> when the harvesting can take place.	
	* Measures to address nuisance <i>effects</i> such as noise.	
	* The management of the transport of harvested logs to reduce adverse <i>effects</i> on the community and roading safety.	
	* The replanting of areas of harvested forest in species and patterns that maintain the landscape values of the area and that are capable of being selectively managed.	
	* Dust prevention of mitigation measures.	
	In setting <i>conditions</i> on any consent, Council will consider any agreement or covenant	

		4.3	 that exists between the Crown and the Licensee that meets the objectives of this <i>plan</i>. In particular, Council will consider using the covenants that exist between the Crown and the Licensee dated 30 April 1990 as a basis for <i>conditions</i> on a consent. Because the nature of the activity, Council will consider giving a long term consent with a review clause. In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs. Restricted Discretionary Activities
		4.3	Activities There are no <i>Restricted</i> <i>Discretionary Activities</i> .
		4.4 4.4.1	Discretionary ActivitiesAnyExoticTreeEstablishment that does notcomply with the conditions forPermitted Activities.
		4.5	Discretionary Activities There are no <i>Non-Complying</i> <i>Activities</i> .
5.0 Earthworks	Advisory Note: - <i>Land</i> disturbance activities are a plans.	lso controlled by provisions in regional A5.2	There are no Controlled
	 5.1 Permitted Activities A5.1.1 <i>Earthworks</i> complying with the following <i>c</i> 1. The <i>earthworks</i> do not disturb any replaces, archaeological sites and <i>waak</i> 	ecorded heritage feature including <i>historic</i>	Activities
	2. The <i>earthworks</i> are on <i>slopes</i> that do		<i>building platform</i> and access to it, or for a <i>structure</i> and

	3.	The fill is <i>cleanfill</i> and has a vertical dimension that does not exceed 450mm; and	comply with the following standards:
	4.	The excavation has a vertical dimension that does not exceed 1500mm (1.5 metres); and	1. The <i>earthworks</i> do not disturb any recorded heritage feature including
	5.	The <i>earthworks</i> do not exceed 100m ³ ;	historic places,
	6.	The earthworks are outside an ephemeral watercourse; and	archaeological sites and
	7.	The <i>earthworks</i> are, or each planned separate stage of earthwork is, completed within 3 months.	<i>waahi tapu</i>; and2. No part of the <i>earthworks</i>
A5.1.2		porary stockpiling of re-useable earth or rock material complying with the wing <i>conditions</i> :	can be <i>seen</i> from a <i>lake</i> , a <i>viewpoint</i> or a <i>public</i> <i>reserve</i> ; and
	1.	It is outside an ephemeral watercourse, or the 2% AEP lake flood level; and	3. (a) The <i>earthworks</i> are
	2.	It does not exceed 100m ³ ; and	on <i>slopes</i> that exceed
	3.	It is inert; and	15° but do not exceed
	4.	It is entirely removed within 6 months; and	24°; or (b) The fill is <i>cleanfill</i>
	5.	It does not disturb any recorded heritage feature including <i>historic places</i> , archaeological sites and <i>waahi tapu</i> .	(b) The Thir is <i>cleanful</i> and has a vertical dimension that exceeds 450mm (0.45 metres) but does not exceed 1500mm (1.5 metres); or
			 (c) The excavation has a vertical dimension that exceeds 1500mm (1.5 metres) but does not exceed 2.5 metres.
			Council shall restrict its discretion and may impose <i>conditions</i> in respect of the following matters:
			* Geotechnical design.
			* Land(s).
			* Stability management.
			* Any <i>effect</i> on an <i>historic</i> <i>place</i> , archaeological site, or <i>waahi tapu</i> both recorded and unrecorded.

	* Measures to avoid, remedy or mitigate <i>effects</i> on any view obtained from a <i>lake</i> , <i>viewpoint</i> , <i>public reserve</i> or public <i>road</i> .	
	* The location on- <i>site</i> , the extent, method, staging, time of day, season and weather <i>conditions</i> under which <i>earthworks</i> can be undertaken.	
	* The location of <i>building platforms</i> .	
	In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.	
A5.3.2	Earthworks in ephemeral watercourses.	
	Council shall restrict its discretion and may impose <i>conditions</i> in respect of the following matter:	
	1., Measures to avoid sedimentation from <i>ephemeral watercourses</i> .	
A5.4	Discretionary Activities	
A5.4.1	<i>Earthworks</i> that do not comply with the <i>conditions</i> for <i>Permitted Activities</i> or are not <i>Restricted Discretionary</i> <i>Activities.</i>	
A5.5	Non-Complying Activities	
	There are no Non-Complying Activities.	

6.0	6.1	Permitted Activities	B6.2	Controlled Activities
Building	B6.1.1	Building Platforms complying with the following conditions:		There are no <i>Controlled</i>
Platforms		 They are outside an <i>ephemeral watercourse</i> or the 2% <i>AEP lake</i> flood level; and They are at least 1 metre above the <i>groundwater table</i>; and 	B6.3	Activities. Activities. Restricted Discretionary Activities
		 They are able to accommodate any on-<i>site</i> effluent treatment system; and 	B6.3.1	
		 They can be accessed by a vehicular access that can be formed within the <i>Permitted Activity conditions</i> for <i>earthworks</i> and <i>indigenous vegetation disturbance</i>; and 		do not comply with the <i>conditions</i> for <i>Permitted Activities</i> .
		5. They are located clear of any areas of instability or known natural or artificial hazard; and		Council shall limit its discretion and may impose <i>conditions</i> in respect of the
		6. They are not located within a 2.5 metre <i>buffer</i> of a <i>site</i> boundary.		matters contained in RD6.1 and RD6.2
			B6.4	Discretionary Activities
				There are no <i>Discretionary Activities</i> .
			B6.5	Non-Complying Activities
				There are no <i>Non-Complying Activities</i> .
7.0	7.1	Permitted Activities		
Buildings	A7.1.1	Buildings complying with the conditions for Permitted Activities.		
8.0	8.1	Permitted Activities	A8.2	Controlled Activities
Second Hand Buildings	A8.1.1	Resited Second Hand Buildings on sites are not Permitted Activities.		There are no <i>Controlled Activities.</i>
			A8.3	Restricted Discretionary Activities
			A8.3.1	Any resited second hand <i>buildings</i> .
				Council shall restrict its

discretion and may impose *conditions* in respect of the following matters:

	1				
				* The external cladding and appearance of <i>building</i> , including assessment of whether the finish and detail is compatible with the era of the <i>building</i> .	
				* The nature and timing of any upgrading work to be done to achieve a standard of appearance equivalent to a new <i>building</i> .	
				* The ability to comply with the requirements of the New Zealand Building Code.	
				* The degree to which the work facilitates the relocation of a heritage <i>building</i> .	
				In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.	
			A8.4	Discretionary Activities	
				There are no Discretionary Activities.	
			A8.5	Non-Complying Activities	
				There are no <i>Non-Complying Activities</i> .	
9.0 Structures	9.1	Permitted Activities	A9.2	Controlled Activities	
	A9.1.1	Except as provided for in Rule 37.0 , <i>structures</i> complying with the following <i>conditions</i> :		There are no <i>Controlled Activities.</i>	
		1. Exterior surfaces including the roof, that are finished in reflectivity values between 0 and 37%; and			
1		2. Except for <i>structures</i> accessory to a <i>Marae</i> , they cannot be <i>seen</i> from a <i>lake</i> or			

	3. Except for <i>structures</i> accessory to a <i>Marae</i> , they cannot be <i>seen</i> against the	A9.3	Restricted Activities	Discretionary
	sky when viewed from a lake or public reserve); and	A9.3.1		
	4. Except for poles for <i>road</i> safety lighting purposes that do not exceed 13 metres, the maximum <i>height</i> shall not exceed 6 metres above <i>ground level</i> .		comply with to for <i>Permitted A</i>	ctivities.
A9.1.2	<i>Structures</i> that are temporary and are located on a <i>site</i> or <i>road</i> for a period that does not exceed one (1) month in any calendar year or for the time the <i>structure</i> is required to complete the construction of a <i>building</i> .		discretion and	Il restrict its d may impose respect of the ters:
			* Landscapi	ng.
			* The height	t of structures.
			 Reflectivit level of ref 	ty values – the flectivity.
			* The le placement <i>structure</i> o	
			lighting i obtrusive	t to which any is visible or when <i>seen</i> <i>e</i> , viewpoint or erve.
			In addition to Council may im ensure satis <i>conditions</i> of c charge to cove costs.	pose a bond to sfaction of consent and a
		A9.4	Discretionary A	Activities
			There are no <i>Activities</i> .	Discretionary
		A9.5	Non-Complyin	g Activities
			There are no N Activities.	lon-Complying
10.0 10.1.1	The following Lake Structures:	10.2	Controlled Act	ivities
Lakes Structures	1. Existing public <i>boat launching ramps</i> and adjacent associated jetties as identified on the Planning Maps and the maintenance or replacement of these boat ramps and jetties.		There are no Activities.	o Controlled

2.	Buoys, poles, lights, beacons, and safety booms, for navigation, safety or regulatory purposes.	10.3	Restricted Discretionary Activities	
		10.3.1	<i>Private lake structures</i> where no access is available to a <i>site</i> from a <i>road</i> , <i>private road</i> <i>or private way</i> , or jetty on adjoining <i>land</i> in the same ownership.	
			Council shall restrict its discretion and may impose <i>conditions</i> in respect of the matters contained in RD10.1 and RD 10.2 .	
		10.4	Discretionary Activities	
		10.4.1	New <i>public lake structures</i> where the width does not exceed 4.2 metres, the length does not exceed 290 metres and the area does not exceed 50m ² .	
		10.5	Non-Complying Activities	
		10.5.1	New private lake structures which are not Restricted Discretionary Activities.	
		10.5.2	New <i>public lake structures</i> which are not <i>Permitted or</i> <i>Discretionary Activities</i> .	
		•		

11.0	A11.1.1	Hard Surfaces complying with the following condition:	A11.2	Controlled Activities
Hard Surfaces		1. <i>Hard surface coverage</i> not exceeding 4%.		There are no <i>Controlled Activities</i> .
			A11.3	Restricted Discretionary Activities
			A11.3.	1 Any <i>Hard Surfaces</i> that do not comply with the <i>conditions</i> for <i>Permitted</i> <i>Activities</i> .
				Council shall restrict its discretion and may impose <i>conditions</i> in respect of the matters contained in RD11.1 and RD 11.2 .
			A11.4	Discretionary Activities
				There are no Discretionary Activities.
			A11.5	Non-Complying Activities
				There are no <i>Non-Complying Activities</i> .
12.0	12.1.1	Notwithstanding any rules regulating indigenous vegetation disturbance, exotic	12.2	Controlled Activities
Recreational Opportunities		<i>vegetation disturbance</i> , or <i>earthworks</i> , the establishment and maintenance of walking tracks to provide pedestrian access to enable the appreciation of outstanding landscapes and natural features, and historic sites complying with the following		There are no <i>Controlled Activities</i> .
Opportunities		conditions	12.3	Restricted Discretionary Activities
		a) The track formation and/or vegetation <i>disturbance</i> is less than 1.5 metres wide; and		There are no Restricted Discretionary Activities.
		b) Recorded heritage features including <i>historic places</i> , archaeological sites and <i>waahi tapu</i> are not disturbed;	12.4	Discretionary Activities
		c) Earth and debris is not placed in a <i>waterbody</i> ; and	12.4.1	New access lanes.
		d) Any walkway on Spencer Road shall be on one side of the <i>road</i> except for any	12.5	Non-Complying Activities
	12.1.2	crossing points.	12.5.1	Any Recreational Activities
	12.1.2	Recreational activities that do not involve vessels or motor craft.		that do not comply with the <i>conditions</i> for <i>Permitted Activities</i> .
			12.5.2	Vessels on any lake.

12.1.3	<i>Motor craft</i> on Lakes Rotomahana and Okataina, except for PWC (personal watercraft) and hovercraft and aircraft and helicopter landing, provided that the maximum speed shall be 5 knots within 200 metres of the shore and there shall be no person or device (other than equipment used legally for fishing) for any recreational purpose towed behind any boat.	
12.1.4	<i>Motor craft</i> on Lakes Okareka and Tarawera, provided that the maximum speed shall be 5 knots within 200 metres of the shore, except where an access lane has been established.	
12.1.5	Motor craft on Lakes Tikitapu and Okaro.	
12.1.5	Motor craft on Lakes Tikitapu and Okaro. Existing access lanes on Lakes Okareka and Tarawera as shown on the Planning Maps.	

13.0	13.1	Permitted Activities	13.2	Controlled Activities
Heritage Features	13.1.1 Maintenance of existing domestic gardens, <i>buildings</i> and <i>structures</i> including <i>signs</i> and seasonal grazing on sites or items listed in Appendix A that is part of Rule 1.1 of the Lakes A Zone (the full text version), or recorded Archaeological sites and those		There are no <i>Controlled Activities</i> .	
		Maori reserves identified on the Planning Maps.	13.3	Restricted Discretionary Activities
	13.1.3 Marae buildings on sites identified in Appendix A that is part of Rule 1.1 of the		There are no <i>Restricted Discretionary Activities</i> .	
		13.4 13.4.1	Discretionary Activities Alterations, additions or	
		Provided that in regards to Rule 13.1.1 and 13.1.2 Council is to be formally advised in writing prior to any work being undertaken within a <i>site</i> or on an item listed in Appendix A that is part of Rule 1.1 of the Lakes A Zone (the full text version) or a recorded archaeological site.	13.4.1	reconstruction of existing buildings or structures that do not comply with the conditions for Permitted Activities.
			13.4.2	Except for the placement of <i>marae buildings</i> , the placement of any <i>building</i> or <i>structure</i> on a site or item listed in Appendix A that is part of Rule 1.1 of the Lakes A Zone (the full text version), a recorded archaeological site, or a Maori reserve identified on the Planning Maps.
			13.4.3	Excavation, construction or any other work including the use of heavy machinery immediately adjacent to or on a site or item listed in Appendix A that is part of Rule 1.1 of the Lakes A Zone (the full text version) (including within the dripline of any tree listed in this Appendix), a recorded archaeological site, or a maori Reserve identified on the Planning Maps.
				Where there is doubt about the exact location and extent of

			13.4.4	the archaeological site, Council shall consider the site as officially recorded to be within a radius of 100 metres. Trimming, pollarding or surgically treating a tree identified in Appendix A that is part of Rule 1.1 of the Lakes A Zone (the full text version).		
				13.5	Non-Complying Activities	
				13.5.1	Any Activity that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> or is not a <i>Discretionary Activity</i> .	
14.0	14.1	Per	mitted Activities	14.2	Controlled Activities	
Signs	14.1.1	1. They have a maximum area not exceeding $0.5m^2$ per <i>site</i> ; and		There are no <i>Controlled</i>		
			14.2	Activities. Restricted Discretionary		
				The maximum area may be utilised by more than one <i>sign</i> ; and	14.3	Activities
		3.	No <i>signs</i> shall be erected except as it relates to the <i>site</i> on which it is situated; and		There are no <i>Restricted Discretionary Activities</i> .	
		4.	They do not obscure a driver's vision or cause confusion or distraction that would compromise the safe <i>movement</i> of traffic on a public <i>road</i> ; and	14.4	Discretionary Activities	
		5.	They are not illuminated, flashing, animated or made of reflectorised materials.	14.4.1	Any <i>signs</i> that do not comply with the <i>conditions</i> for <i>Permitted Activities</i> .	
	_		rary signs complying with the following conditions:	14.5	Non-Complying Activities	
		1.			There are no Non-Complying	
		2.	They have a maximum area not exceeding 3m ² .		Activities.	
15.0	15.1	Per	mitted Activities	A15.2	Controlled Activities	
Outdoor	A15.1.1	 15.1.1 Outdoor storage complying with the following conditions: 1. Its total volume at any one time does not exceed 10m³ unless the material is required for an on-site development or landscaping work; and 			There are no Controlled	
Storage					Activities.	
		2.	It does not generate any objectionable odour at any site boundary; and			

	2		4 4 = 0	D () ()	D!
	3.	The area on which it is stored is outside an <i>ephemeral watercourse</i> or the 2% <i>AEP lake</i> flood level; and	A15.3	Restricted Activities	Discretionary
	4.	It is inert.	A15.3.1	10m ³ but d 20m ³ and wh is not require	age that exceeds oes not exceed here the material ed for an on-site or landscape
				discretion an	all restrict its nd may impose n respect of the tters:
					it generates any able odour; and
					it can be <i>seen</i> abutting <i>sites;</i>
				from a	it can be seen lake, viewpoint, eserve or public
				it is sto within <i>watercour</i>	he area on which ored is located an <i>ephemeral</i> rse or the 2% flood level.
				Council may ensure sa conditions of	to the above, impose a bond to atisfaction of f consent and a over monitoring
			A15.4	Discretionar	y Activities
			A15.4.1	materials are <i>site</i> , or	Storage where to be used off- processed or l on- <i>site</i> for sale 2.
			A15.4.2		or Storage that comply with the

		A15.5	conditionsforPermittedActivities or is not a RestrictedDiscretionary Activity.Non-Complying ActivitiesThere are no Non-ComplyingActivities.
16.0	A16.1.1 Helicopter Landing Areas are not Permitted Activities.	A16.3	Controlled Activities
Helicopter Landing Areas			There are no <i>Controlled Activities</i> .
		A16.3	Restricted Discretionary Activities
			There are no <i>Restricted Discretionary Activities</i> .
		A16.4	Discretionary Activities
			There are no <i>Discretionary Activities</i> .
		A16.5	Non-Complying Activities
			There are no <i>Non-Complying Activities</i> .
		A16.6	Prohibited Activities
		A16.6.1	Helicopter Landing Areas are Prohibited Activities.
	BUILDING DESIGN RULES		
17.0	A17.1.1 Site coverage not exceeding $250m^2$ or 16 % whichever is the greater provided that on	A17.2	Controlled Activities
Site Coverage of Buildings	sites that exceed $2500m^2$ the site coverage for any single building shall not exceed $400m^2$.		There are no <i>Controlled Activities</i> .
		A17.3	Restricted Discretionary Activities
		A17.3.1	Site coverage that exceeds 250m ² but does not exceed 300m ² on sites that are less than or equal to 1875m ² .

Council shall restrict its discretion to the following matters:
1. The extent to which the external design and location of the <i>building</i> :
(a) Detracts from or promotes natural character.
(b) Is visually prominent.
(c) Affects the naturalness of the view from a <i>viewpoint</i> .
2. The extent to which the <i>building</i> and its principal elements are of a scale compatible with the attributes of the landscape policy area in which it is situated.
3. Where the proposal does not comply with more than one <i>building</i> design rule, the cumulative <i>effect</i> of the non-compliance.
4. The extent to which the more than minor adverse <i>effects</i> of the proposed <i>building</i> can be remedied or mitigated on- <i>site</i> by measures such as landscaping, retention or vegetation or re-vegetation.
5. Whether an alternative design or location on <i>site</i> is able to address any adverse <i>effects</i> .

6. The location of the <i>building</i> on a <i>site</i> in relation to other <i>buildings</i> and <i>site</i> boundaries so as not to visually link with any <i>building</i> on or off the <i>site</i> and thereby give the <i>effect</i> of one continuous <i>building</i> when viewed from a <i>lake</i> , or a <i>public reserve</i> .	
7. The extent to which the <i>building</i> is of a scale compatible with the attributes of the landscape policy area in which it is situated.	
Council may impose <i>conditions</i> in respect of the following matters:	
* Specifying the:	
- Location on a <i>site</i> .	
- Maximum <i>height</i> of the <i>building</i> .	
- Maximum floor area of <i>building(s)</i> .	
- Reflectivity values – The level of reflectivity.	
- Design themes including measures that will break the proposed <i>building's</i> external form.	
- Separation distances from adjoining <i>sites</i> .	
- Landscaping	
- Rehabilitation of disturbed <i>land</i> .	

- Re-vegetation.	
 Stormwater disposal measures or off-set works. 	
- Effluent disposal methods.	
- Minimum floor levels from the ground.	
* Require procedures including an	
assessment by a	
suitably qualified	
person recognised by the Historic Places	
Trust and/or an	
historic heritage site	
assessment or	
consultation with the	
Tangata Whenua	
should the	
construction of the	
<i>building</i> disturb a	
feature that has	
historical, cultural or	
spiritual significance but was not previously	
recorded.	
* Requiring measures to address nuisance	
<i>effects</i> such as noise associated with the	
construction of a	
building.	
* Specifying maximum	

* Specifying maximum glare and light levels.

			A17.4	In addition to the above, Council may impose a bond to ensure satisfaction of conditions of consent and a charge to cover monitoring costs. Discretionary Activities There are no <i>Discretionary</i> <i>Activities.</i> Non-Complying Activities Site coverage that does not
				Site coverage that does not comply with the conditions for Permitted Activities or is not a Restricted Discretionary Activity.
19.0	19.1	Permitted Activities		Controlled Activities
Height	A19.1.1 A19.1.2	Marae buildings where the maximum height does not exceed 7.5 metres above ground level. Except for Marae buildings, any building where the maximum height does not exceed 6 metres above ground level and where the exterior walls do not exceed 5 metres in height, provided that chimneys may exceed the maximum height by up to 0.5 metres.	A19.2.1	Except for <i>Marae buildings</i> , any <i>building</i> where the maximum <i>height</i> exceeds 6 metres but does not exceed 7.5 metres and/or where the 5 metre exterior wall <i>height</i> is exceeded, provided that chimneys may exceed the maximum <i>height</i> by up to 0.5 metres.
				Council shall reserve its control and may impose <i>conditions</i> on the following matters: * Reflectivity values – The
				level of reflectivity.* The area of glass.
				 * Surface treatment – the materials and finish used for the exterior.
				 * The width of any eave. * The <i>height</i> of exterior walls.

				 * Design features to break up wall or roof surface areas. * Finish on guttering. * Landscaping to reduce the visibility of a <i>building</i> from the <i>lake</i> or reserves.
				* <i>Site coverage</i> . In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.
			A19.3	Restricted Discretionary Activities
				There are no <i>Restricted Discretionary Activities</i> .
			A19.4	Discretionary Activities
			A19.4.1	Any <i>building</i> that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> or with the standards for <i>Controlled</i> <i>Activities</i> .
			A19.5	Non-Complying Activities
				There are no <i>Non-Complying Activities</i> .
20.0	20.1	Permitted Activities	A20.2	Controlled Activities
Solar Access	A20.1.1	Any building where the height does not exceed the sunlight control plane.		There are no <i>Controlled Activities</i> .
			A20.3	Restricted Discretionary Activities
			A20.3.1	Any <i>building</i> that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> .
				Council shall restrict its discretion to the following matters:

	1. The degree of access or sunlight or the limitation of shadows on adjoining properties.
	2. Whether an alternative design or location on <i>site</i> is able to address any adverse <i>effects</i> .
	3. Whether the proposal does not comply with more than one design rule and the cumulative <i>effect</i> of the non-compliance.
	Council may impose <i>conditions</i> in respect of the following matters:
	* Height of buildings.
	* Location of <i>building platform</i> .
	* Site coverage.
	* Distance from boundaries.
	* Spacing between <i>buildings</i>
	* <i>Height</i> of <i>building</i> walls.
	* Confining the <i>building</i> dimensions within inclined solar access planes.
	In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.
A20.4	Discretionary Activities
	There are no <i>Discretionary Activities</i> .

		A20.5Non-Complying ActivitiesThere are no Non-Complying Activities.
Reflectivity A	21.1Permitted ActivitiesA21.1.1Any building where the exterior surfaces are finished, including the roof, in reflectivity values of between 0 and 37%.	A21.2 Controlled Activities There are no Controlled Activities.
Values	Teneeuvity variaes of between o and 5776.	A21.3 Restricted Discretionary Activities
		There are no Restricted Discretionary Activities.A21.4Discretionary Activities
		A21.4.1 Any building that does not comply with the conditions for Permitted Activities.
		A21.5Non-Complying ActivitiesThere are non Non- Complying Activities.
22.0 2	22.1 Permitted Activities	A22.2 Controlled Activities
A	 A22.1.1 Except for <i>Marae buildings</i>, any <i>building</i> regardless of whether the <i>building</i> can be <i>seen</i> from a <i>viewpoint</i>, where the maximum <i>height</i> does not exceed 6 metres above <i>ground level</i> and where the exterior walls do not exceed 5 metres in <i>height</i>. A22.1.2 Any <i>building</i> that cannot be <i>seen</i> from a <i>viewpoint</i>, where the maximum <i>height</i> does not exceed 7.5 metres above <i>ground level</i> and where the exterior walls do not exceed 5 metres in <i>height</i>. Note: The extent of the landforms which can be <i>seen</i> from each <i>viewpoint</i> is shown in the document titled 'Lakes A Zone – View Shaft Assessment, Rotorua District Council (March 1999)'. Reference to this document included as Appendix 15.0 of Volume 2 of the Lakes A Zone should be made to assist in the determination of whether a <i>building</i> is likely to be able to be <i>seen</i> from each <i>viewpoint</i>. 	 A22.2.1 Except for marae buildings, any building that can be seen from a viewpoint, where the maximum height exceeds 6 metres but does not exceed 7.5 metres and/or where the 5 metre exterior wall height is exceeded. Council shall reserve its control and may impose conditions on the following matters: * Height of buildings to reduce their visual effects on viewpoints in the Okareka and Tarawera catchments.

	* Reflectivity values – the level of reflectivity.
	* The area of glass.
	* Surface treatment – the materials and finish used for the exterior.
	* The width of any eave.
	* The <i>height</i> of exterior walls.
	* Design features to break up wall or roof surface areas.
	* Finish on guttering.
	Landscaping to reduce the visibility of a <i>building</i> from the <i>lake</i> or reserves. In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.
A22.3	Restricted Discretionary Activities
A22.3.1	There are no <i>Restricted Discretionary Activities.</i>
A22.4	Discretionary Activities
A22.4.1	Any <i>building</i> that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> or with the standards for <i>Controlled</i> <i>Activities</i> .
A22.5	Non-Complying Activities
	There are no Non-Complying Activities.

23.0	23.1	Permitted Activities	A23.2	Controlled Activities
Skylines	A23.1.1	Except for <i>Marae buildings</i> , any <i>building</i> that cannot be <i>seen</i> against the sky when viewed from a <i>lake</i> or <i>public reserve</i> .		There are no <i>Controlled Activities</i> .
			A23.3	Restricted Discretionary Activities
				There are no <i>Restricted Discretionary Activities</i> .
			A23.4	Discretionary Activities
			A23.4.1	Any <i>building</i> that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> .
			A23.5	Non-Complying Activities
				There are no <i>Non-Complying Activities</i> .
24.0	24.1	Permitted Activities	A24.2	Controlled Activities
Floor Levels	A24.1.1	Any <i>habitable building</i> where the floor level is at least 1.5 metres above the <i>groundwater table</i> .		There are no <i>Controlled Activities</i> .
			A24.3	Restricted Discretionary Activities
			A24.4.1	Any <i>building</i> that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> .
				Council shall restrict its discretion and may impose <i>conditions</i> in respect of the following matters:
				* Whether the proposal does not comply with more than one <i>building</i> design rule and the cumulative <i>effect</i> of the non-compliance.
				* Whether an alternative design or location on <i>site</i> is able to address any adverse <i>effects</i> .
				* Specifying minimum floor

levels.

			In addition to the above Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and change to cover monitorin costs.	
			A24.4	Discretionary Activities
				There are no Discretionary Activities
			A24.5	Non-Complying Activities
				There are no <i>Non-Complying Activities</i> .
25.0	25.1	Permitted Activities	A25.2	Controlled Activities
Buffers	A25.1.1	Any <i>building</i> not located within 2.5 metres of a <i>site</i> boundary.		There are no <i>Controlled Activities</i> .
			A25.3	Restricted Discretionary Activities
				There are no <i>Restricted Discretionary Activities</i> .
			A25.4	Discretionary Activities
			A25.4.1	Any <i>building</i> that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> .
			A25.5	Non-Complying Activities
				There are no Non-Complying Activities.
	EFFEC	TS RULES		
26.0	26.1	Permitted Activities	A26.2	Controlled Activities
Electromagnetic Radiation	26.1.1	Any activity producing radio frequency energy shall meet the recommended non- occupational limits set out in the New Zealand Standard NZS 2772.1 (1999) –		There are no <i>Controlled Activities</i> .
		Maximum Exposure Levels $- 3$ kHz to 300 GHz at any point where any member of the public may be exposed to the source of such energy.	A26.3	Restricted Discretionary Activities
				There are no <i>Restricted Discretionary Activities</i> .

	27.1			Discretionary Activities There are no Discretionary Activities Non-Complying Activities Any activity that does not comply with the conditions for Permitted Activities.
27.0	27.1 A27.1.1	Permitted Activities Any activity that results in spill light or stray light emissions complying with the	A27.2	Controlled Activities There are no <i>Controlled</i>
Spill Light or Stray Light	A27.1.1	following <i>condition</i> :		Activities.
Emissions		1. Any direct artificial illumination shall not exceed ten (10) <i>lux</i> when measured at the nearest <i>site</i> boundary.	A27.3	Restricted Discretionary Activities
		Illuminance levels shall be measured vertically and horizontally in accordance with professional illumination engineering practice.		There are no <i>Restricted Discretionary Activities</i> .
	A27.1.2	Any activity that results in glare complying with the following <i>condition</i> :	A27.4	Discretionary Activities
		1. Lighting shall be aimed no higher than 30° below the horizontal and shall be aimed, hooded or screened, to minimise glare.		There are no <i>Discretionary</i> Activities
			A27.5	Non-Complying Activities
			A27.5.1	Any activity that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> .

	28.1	Permitted Activities	28.2	Controlled Activities
Noise 2	28.1.1	 Activities complying with the following <i>condition</i>: 1. The provisions of Appendix 5 of Volume 2 of the Lakes A Zone. 	28.2.1	The noise generated at the time of the forest harvesting that exceeds the levels specified in Appendix 5 of Volume 2 , of the Lakes A Zone, provided that the machinery used has mufflers and silencers installed and is operated in accordance with the manufacturers' specifications.
				Council shall reserve its control and may impose <i>conditions</i> on the following matters:
				* Staging, the time of day, season and weather <i>conditions</i> when specified aspects of harvesting can take place.
				* Specifying the on- <i>site</i> location and design of log handling and static noise areas in relation to <i>site</i> boundaries.
				In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.
			28.3	Restricted Discretionary Activities
				There are no <i>Restricted Discretionary Activities</i> .
			28.4	Discretionary Activities
			28.4.1	Any Activity that does not comply with the <i>conditions</i>

			28.5	for <i>Permitted Activities</i> or is not a <i>Controlled Activity</i> . Non-Complying Activities There are no <i>Non-Complying</i> <i>Activities</i> .
29.0	29.1	Permitted Activities	A29.2	Controlled Activities
Traffic Generation	A29.1.1	 Traffic generation complying with any of the following conditions: It is generated from up to two houses per site; or It is generated from a Marae; or It is generated from public reserves; or 	A29.3	There are no ControlledActivities.RestrictedActivities
		 4. The number of <i>vehicle movements</i> does not exceed 12 <i>light vehicle movements</i> per day from any <i>site</i>, averaged over a <i>week</i> provided that, for the purpose of assessing compliance with this condition, when an activity occurs on a <i>site</i> on which <i>house</i>(s) are also located, each <i>house</i> shall be deemed to generate 6 <i>light vehicle movements</i> per day. 	A29.3.	 1 Traffic generation from three houses per site of where traffic generation exceeds 12 but does not exceed 18 light vehicle movements per day from any site, averaged over a week. Council shall restrict its discretion and may impose conditions in respect of the following matters: In addition to the above, Council may impose a bond to ensure satisfaction of conditions of consent and a charge to cover monitoring costs. * The width and shape of accessways and the adjoining road.
				 * Sight distances in either direction. * The volume and timing of traffic flows. * Whether a State Highway is involved.
				* The safety of pedestrians and cyclists.

	n- <i>road</i> rated.
capacity of the ac roading network	djacent caused
compliance with this when an activity occur <i>site</i> on which <i>house(</i> also located, each <i>hous</i> be deemed to generate	Rule, s on a s) are e shall 6 <i>light</i>
Council may impose a be ensure satisfaction <i>conditions</i> of consent	oond to of and a
4 Discretionary Activitie	s
that does not comply w <i>conditions</i> for a <i>Per</i>	ith the <i>mitted</i>
compliance with this when an activity occur	Rule, rs on a re also
deemed to generate 6 vehicle movements per c	0
e	lay.
9.	 * The impact or capacity of the acroading network of by the expected generation of proposal. * Whether there is a to upgrade the acroading network. For the purpose of ass compliance with this when an activity occur site on which house(also located, each houss be deemed to generate vehicle movements per compliance of consent charge to cover mon costs. 9.4 Discretionary Activitie A29.4.1 Traffic gene that does not comply w conditions for a Per Activity or is not a Res Discretionary Activity. For the purpose of ass compliance with this when an activity occur site on which house(also located, each houss be deemed to generate vehicle movements per compliance that does not comply w conditions of consent charge to cover mon costs.

	INFRA	STRUCTURE AND UTILITY RULES			
30.0	30.1	Permitted Activities	30.2	Controlled Activities	
On-site Carparking and	30.1.1	 Any activity complying with the following <i>condition</i>: The on-<i>site</i> carparking and <i>manoeuvring</i> provisions of Appendix F of the 		There are no <i>Controlled Activities</i> .	
Turning		Rule 1.1 of the Lakes A Zone (the full text version).	30.3	Restricted Discretionary Activities	
				There are no <i>Restricted Discretionary Activities.</i>	
			30.4	Discretionary Activities	
			30.4.1	Any Activity that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> .	
			30.5	Non-Complying Activities	
				There are no Non-Complying Activities.	
31.0	31.1	Permitted Activities	31.2	Controlled Activities	
Vehicle Crossings	31.1.1	Any activity involving <i>light vehicle movements</i> to or from any <i>road</i> complying with the following <i>condition</i> unless Rules 31.1.4 or 31.1.5 apply: 1. There shall be a <i>vehicle</i> crossing provided to each <i>site</i> that is formed, drained,		There are no Controlled	
			31.3	Activities. Restricted Discretionary	
			21.2.1	Activities	
		constructed and sealed in accordance with Plan No. RD22 (Refer Appendix 3.0 of Volume 2 of the Lakes A Zone).	31.3.1	Except for <i>vehicle</i> crossings on State Highways, any	
	31.1.2	Vehicle Crossings – Commercial Vehicles		activity that does not comply with the <i>vehicle</i> crossing	
		Any activity involving <i>commercial vehicle movements</i> to or from a low volume or low speed sealed <i>road</i> complying with the following <i>condition</i> :		conditions for Permitted Activities	
		 There shall be a <i>vehicle</i> crossing provided to each <i>site</i> that is formed, drained, constructed and sealed in accordance with Plan No. RD23. (Refer Appendix 3.0 of Volume 2 of the Lakes A Zone). 		Council shall restrict its discretion and may impose <i>conditions</i> in respect of the	
	31.1.3	Vehicle Crossings – Commercial Vehicles		following matters:	
		Any activity involving <i>commercial vehicle movements</i> to or from a high volume or high speed sealed <i>road</i> complying with the following <i>condition</i> :		* The width and shape of accessways and the adjoining <i>road</i> .	
		 There shall be a <i>vehicle</i> crossing provided to each <i>site</i> that is formed, drained, constructed and sealed in accordance with Plan No. RD24. (Refer Appendix 3.0 of Volume 2 of the Lakes A Zone). 		 * Sight distances in either direction. 	

31.1.4	Vehicle Crossings – Unsealed Local Road Any activity involving any <i>vehicle movements</i> to or from an unsealed local <i>road</i> complying with the following <i>conditions</i> :		* The nature and characteristics of traffic generated and the timing of traffic flows.
31.1.5	1. There shall be a metalled <i>vehicle</i> crossing provided to each <i>site</i> that is otherwise formed, drained and constructed in accordance with the requirements for sealed crossings.		 The safety of pedestrians or cyclists.
31.1.6	Vehicle Crossings – Any Activity From a State Highway		In addition to the above, Council may impose a bond to
	Notwithstanding the above, any activity involving any <i>vehicle movement</i> to or from a State Highway complying with the following <i>condition</i> :		ensure satisfaction of conditions of consent and a charge to cover monitoring
	1. There shall be a metalled <i>vehicle</i> crossing provided to each <i>site</i> that is formed, drained and constructed and sealed in accordance with the standards of the		costs.
	Road Controlling Authority.	31.4	Discretionary Activities
		31.4.1	Any activity from a State Highway that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> .
		31.5	Non-Complying Activities
			There are no <i>Non-Complying Activities</i> .

	1			
32.0	32.1	Permitted Activities	32.2	Controlled Activities
Private Roads	32.1.1	Any activity complying with the following <i>condition</i> :		There are no <i>Controlled Activities</i> .
and Private Ways		1. The requirements for <i>Private Roads</i> or <i>Private Ways</i> for <i>Permitted Activities</i> as set out in Appendix 10.0 of Volume 2 of the Lakes A Zone.	32.3	Restricted Discretionary Activities
			32.3.1	Private Roads or Private Ways that do not comply with the conditions for Permitted Activities, but comply with the standards for Restricted Discretionary Activities set out in Appendix 10.0 of Volume 2 of the Lakes A Zone.
				Council shall restrict its discretion and may impose <i>conditions</i> in respect of the following matters:
				* Topography of the <i>land</i> .
				* The nature and characteristics of traffic generated and the timing of traffic flows.
				* Safety of pedestrians and cyclists.
			32.4	Discretionary Activities
			32.4.1	Any Activity that does not comply with the standards for <i>Restricted Discretionary</i> <i>Activities</i> set out in Appendix 10.0 of Volume 2 of the Lakes A Zone.
			32.4.2	Any Activity that complies with the standards for <i>Discretionary Activities</i> set out in Appendix 10.0 of Volume 2 of the Lakes A Zone.
	1		1	

			32.5	Non-Complying Activities
				There are no <i>Non-Complying Activities</i> .
33.0	33.1	Permitted Activities	33.2	Controlled Activities
Roads	33.1.1	Maintenance and upgrading of the existing formation of existing <i>roads</i> complying with the following <i>condition</i> :		There are no <i>Controlled Activities.</i>
		hard surface rule (Rule 11.0), of this Volume (Volume 1), the hard surface	33.3	Restricted Discretionary Activities
		<i>coverage</i> on public <i>roads</i> not exceeding 350mm per metre width of <i>road</i>.Note: A 20 metre <i>road</i> reserve may have a 7 metre formed sealed carriageway and shoulder.	33.3.1	Construction of new <i>road</i> formations or realignment of existing <i>road</i> formations.
		Note: If it is intended to transfer a <i>private road</i> to a Road Controlling Authority, the system must comply with the conditions of Asset Transfer of the Road Controlling Authority concerned.		Council shall restrict its discretion and may impose <i>conditions</i> in respect of the following matters:
				* Whether the <i>hard</i> <i>surface coverage</i> on public <i>roads</i> , excluding intersections, exceeds 350mm per metre width of <i>road</i> ; and
				* Whether they are designed and constructed with a design life of a minimum of 25 years, except for <i>vehicle</i> paving surfaces which may be designed for resurface treatment in 12 year stages; and
				* Whether they are designed and constructed in accordance with Appendix 2.0 Criteria and Standards for Public Roads (Refer Volume 2 of the Lakes A Zone); and

						* Whether stormwater can be managed without increasing flows into a <i>lake</i> .
						In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.
					Note:	If it is intended to transfer a <i>private road</i> to a Road Controlling Authority, the system must comply with the <i>conditions</i> of Asset Transfer of the Road Controlling Authority concerned.
					33.4	Discretionary Activities
					33.4.1	Maintenance of existing <i>road</i> formations or the construction of new <i>road</i> formations that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> or the standards for <i>Restricted Discretionary Activities</i> .
					33.4.2	<i>Buildings</i> and <i>structures</i> on roads.
					33.5	Non-Complying Activities
						There are no Non-Complying Activities.
34.0	34.1	Peri	mitted Activities		34.2	Controlled Activities
Potable Water Supply	34.1.1	1.1.1 Water 1.			There are no <i>Controlled Activities</i> .	
			and either: a) At the time of applying for a Building Consent, evidence shall be	34.3	Restricted Discretionary Activities	
				table water supply complies with section		There are no Restricted Discretionary Activities.

	b) There shall be a connection to an operational private or public		34.4	Discretionary Activities	
		<i>community water supply</i> system that meets the <i>conditions Permitted Activity</i> .	for a	34.4.1	Any Activity that does not comply with the <i>conditions</i>
34.1	1.2	Operational private or public <i>community water supply</i> systems complying wit following <i>conditions</i> :	th the		for <i>Permitted Activities</i> .
		1. The <i>water</i> supply system has capacity for fire protection purpose	es in	34.5	Non-Complying Activities
	1.	accordance with the Fire Service Code of Practice within any Gazettee District; and			There are no <i>Non-Complying Activities</i> .
		2. The system is designed and constructed for a functional life of a minimu 50 years; and	um of	Note:	An applicant is advised that
		3. The system is constructed to prevent leakage of <i>water</i> and easy connection service connection fittings; and	on for		non-compliance with regional rules or where a <i>water</i> permit
		4. Each <i>site</i> has practicable access to enable connection to the system; and			has not been obtained for a
		5. The system delivers to every <i>habitable building</i> a minimum of 20 metre and 30 litres per minute.	e head		private or public <i>community</i> <i>water supply</i> system, will need to be addressed with
Not	C	it is intended to transfer a private <i>community water supply</i> system to a Upperator, the system must comply with the <i>conditions</i> of Asset Transfer of the Upperator concerned.		Environment BOP.	

35.0 Collection and	35.1	Permitted Activities	35.2	Controlled Activities
Disposal of Stormwater	35.1.1	All <i>buildings</i> and all <i>hard surfaces</i> (including all driveways), shall be provided with a stormwater collection and disposal system within the <i>site</i> complying with the following <i>conditions</i> :		There are no <i>Controlled Activities</i> .
		 It is designed to accommodate at least a 10% AEP storm event by: 	35.3	Restricted Discretionary Activities
			35.3.1	Any system intended for the collection and disposal of stormwater from <i>buildings</i> and <i>hard surfaces</i> not within the <i>site</i> .
		2. Surface <i>water</i> does not enter <i>habitable buildings</i> from a 2% <i>AEP</i> storm event; and		Council shall restrict its discretion and may impose
		3. Where the system uses pipes that:		<i>conditions</i> in respect of the following matters:
		 a) accessible inspection chambers are provided at all changes of grade and direction; and b) self cleansing velocities are maintained; and c) the system has a functional design life of 50 year. 		* Whether the system is designed to accommodate at least a 10% AEP storm event
		Note: If it is intended to transfer a private stormwater collection and disposal system to a Utility Operator, the system must comply with the <i>conditions</i>		by: (a) Soakage;
		of Asset Transfer of the Utility Operator concerned.		(b) Vegetated swales;
				(c) Ponding;
				(d) Wetlands; and
				* Whether surface <i>water</i> from a 2% <i>AEP</i> storm event will enter any <i>habitable buildings;</i> and
				* Where the system uses pipes that:

			 (b) Self cleansing velocities are maintained; and (c) The system has a functional design life of 50 years. * Any <i>effect</i> on <i>land</i> stability or from stormwater flows on
			neighbouring properties. In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.
		Note:	An applicant is advised that non-compliance with regional rules or where a permit has not been obtained for a stormwater <i>discharge</i> will need to be addressed with Environment Bay of Plenty.
		35.4	Discretionary Activities
			There are no Discretionary Activities.
		35.5	Non-Complying Activities
		35.5.1	Any Activity that does not comply with the <i>conditions</i> for <i>Permitted Activities</i> or is not a <i>Restricted Discretionary</i> <i>Activity</i> .
36.0	36.1 Permitted Activities	36.2	Controlled Activities
Sewage Collection	36.1.1 Sewage collection and disposal systems complying with the following <i>conditions</i> :		There are no Controlled
and Disposal	1. Every <i>habitable building</i> shall be provided with a sewage collection and disposal system and either:		Activities.

 b) There shall be a connection to an operational community sewage collection and disposal system that meets the <i>conditions</i> for a <i>Permitted Activity</i>. 2. Operational private or public community sewage disposal systems designed to cater for minimum flows of 220 litres per head per day and a peak factor of four complying with the following <i>conditions</i>: a) Each <i>site</i> has practicable access to enable connection to the system; and b) The system is designed and constructed to eliminate the ingress of stormwater and ground <i>water</i> and also avoids the occurrence of system surcharging or overflows; and c) The reticulation system is designed so that each <i>site</i> is provided with a minimum 100m diameter connection to a minimum of 500mm inside the <i>site</i> boundary and at a depth capable of servicing all <i>habitable buildings</i> on the <i>site</i>; and d) Accessible inspection chambers are provided at all changes of grade, direction and pipe size; and f) The reticulation and pumping system be designed and constructed to allow the passing of 75mm solids; and g) The reticulation and disposal system is designed and constructed for a minimum functional life of 15 years. Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of the standards for <i>Restricture</i> or the system must comply with the conditions of Asset Transfer of the standards for <i>Restricture</i> or the system must comply with the conditions of Asset Transfer of the standards for <i>Restricture</i> or the system must comply with the conditions of Asset Transfer or the system must comply with the conditions of Asset Transfer or the system must comply with the conditions of Asset Transfer or the system must comply with the conditions of Asset Transfer or the system must comply with the conditions of Asset Transfer or the system must comply with the conditions of Asset Transfer or the st		a)	There shall be an on-site sewage collection and disposal system (that may include a separate <i>grey water</i> disposal system) that complies with the regional rules or a regional consent is held; or	36.3	Restricted Discretionary Activities	
 Permitted Activity. 2. Operational private or public community sewage disposal systems designed to cater for minimum flows of 220 litres per head per day and a peak factor of four complying with the following conditions: a) Each site has practicable access to enable connection to the system; and b) The system is designed and constructed to eliminate the ingress of system surcharging or overflows; and c) The reticulation system is designed so that each site is provided with a minimum 100mm diameter connection to a minimum of 500mm inside the site boundary and at a depth capable of servicing all habitable buildings on the site; and d) Accessible inspection chambers are provided at all changes of grade, direction and pipe size; and e) That self-cleansing velocities are maintained within reticulation systems; and f) The reticulation and pumping system be designed and constructed to allow the passing of 75mm solids; and g) The reticulation and disposal system is designed and constructed for a minimum functional life of 50 years, except for electrical and mechanical equipment which may be designed and constructed for a functional life of 15 years. Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of the standards for <i>Restrictes</i> or the standards for <i>Restrictes</i> or the standards for <i>Restrictes</i> or the standards for the system of the system succession and charge to cover monitoring the standards for the system succession and the system success		b)	There shall be a connection to an operational community sewage	36.3.1	stations.	
 a) Each <i>site</i> has practicable access to enable connection to the system; and a) The system is designed and constructed to eliminate the ingress of stormwater and ground <i>water</i> and also avoids the occurrence of system surcharging or overflows; and c) The reticulation system is designed so that each <i>site</i> is provided with a minimum 100mm diameter connection to a minimum of 500mm inside the <i>site</i> boundary and at a depth capable of servicing all <i>habitable buildings</i> on the <i>site</i>; and d) Accessible inspection chambers are provided at all changes of grade, direction and pipe size; and e) That self-cleansing velocities are maintained within reticulation systems; and f) The reticulation and pumping system be designed and constructed to allow the passing of 75mm solids; and g) The reticulation and disposal system is designed and constructed for a minimum functional life of 50 years, except for electrical and mechanical equipment which may be designed and constructed for a functional life of 15 years. Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of 	2	toca	ational private or public community sewage disposal systems designed ter for minimum flows of 220 litres per head per day and a peak factor		discretion and may impose <i>conditions</i> in respect of the following matters:	
 b) The system is designed and constructed to enfinitiate the lingress of stormwater and ground <i>water</i> and also avoids the occurrence of system surcharging or overflows; and c) The reticulation system is designed so that each <i>site</i> is provided with a minimum 100mm diameter connection to a minimum of 500mm inside the <i>site</i> boundary and at a depth capable of servicing all <i>habitable buildings</i> on the <i>site</i>; and d) Accessible inspection chambers are provided at all changes of grade, direction and pipe size; and e) That self-cleansing velocities are maintained within reticulation systems; and f) The reticulation and pumping system be designed and constructed to allow the passing of 75mm solids; and g) The reticulation and disposal system is designed and constructed for a minimum functional life of 50 years, except for electrical and mechanical equipment which may be designed and constructed for a functional life of 15 years. Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of 			Each <i>site</i> has practicable access to enable connection to the system;		* Whether private sewage reticulation systems are not able to <i>discharge</i> via	
 c) The reticulation system is designed so that each <i>site</i> is provided with a minimum 100mm diameter connection to a minimum of 500mm inside the <i>site</i> boundary and at a depth capable of servicing all <i>habitable buildings</i> on the <i>site</i>; and d) Accessible inspection chambers are provided at all changes of grade, direction and pipe size; and e) That self-cleansing velocities are maintained within reticulation systems; and f) The reticulation and pumping system be designed and constructed to allow the passing of 75mm solids; and g) The reticulation and disposal system is designed and constructed for a minimum functional life of 50 years, except for electrical and mechanical equipment which may be designed and constructed for a functional life of 15 years. Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of 		b)	stormwater and ground water and also avoids the occurrence of		* Whether ownership and	
 d) Accessible inspection chambers are provided at all changes of grade, direction and pipe size; and e) That self-cleansing velocities are maintained within reticulation systems; and f) The reticulation and pumping system be designed and constructed to allow the passing of 75mm solids; and g) The reticulation and disposal system is designed and constructed for a minimum functional life of 50 years, except for electrical and mechanical equipment which may be designed and constructed for a functional life of 15 years. Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of 		c)	The reticulation system is designed so that each <i>site</i> is provided with a minimum 100mm diameter connection to a minimum of 500mm inside the <i>site</i> boundary and at a depth capable of servicing all		private sewage pumping station relating to the design, maintenance and operational procedures is	
 e) That self-cleansing velocities are maintained within reticulation systems; and f) The reticulation and pumping system be designed and constructed to allow the passing of 75mm solids; and g) The reticulation and disposal system is designed and constructed for a minimum functional life of 50 years, except for electrical and mechanical equipment which may be designed and constructed for a functional life of 15 years. Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of 		d)			land title.	
 f) The reticulation and pumping system be designed and constructed to allow the passing of 75mm solids; and g) The reticulation and disposal system is designed and constructed for a minimum functional life of 50 years, except for electrical and mechanical equipment which may be designed and constructed for a functional life of 15 years. Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of 		e)	-		Council may impose a bond to ensure satisfaction of	
 a minimum functional life of 50 years, except for electrical and mechanical equipment which may be designed and constructed for a functional life of 15 years. Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of 		f)			charge to cover monitoring	
mechanical equipment which may be designed and constructed for a functional life of 15 years.36.4.1Activities that do not complNote:If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of36.4.1Activities that do not complNote:If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of36.4.1Activities that do not compl		g)		36.4	Discretionary Activities	
Note: If it is intended to transfer a private sewage collection and disposal system to a Utility Operator, the system must comply with the conditions of Asset Transfer of standards for Restricted Discretionary Activities.		mechanical equipment which may be designed and constructed for a		36.4.1	Permitted Activities or the standards for Restricted	
the ounty operator concerned.			ator, the system must comply with the conditions of Asset Transfer of			

			Note: 36.5	An applicant is advised that non-compliance with regional rules or where a permit has not been obtained for a <i>discharge</i> from a private or public community sewage disposal system, will need to be addressed with Environment Bay of Plenty. Non-Complying Activities There are no <i>Non-Complying</i> <i>Activities</i> .
37.0	37.1	Permitted Activities	A37.2	Controlled Activities
Electricity and Telecommunication	A37.1.1	 Above ground utilities complying with the following <i>condition</i>: Existing electric lines, including support <i>structures</i> for these lines, and 		There are no <i>Controlled Activities.</i>
Lines	A37.1.2	lines defined by Section 2(1) and (1A) of the Telecommunications Act 1987, where the lines are above ground and the activity involves the	A37.3	Restricted Discretionary Activities
		 operation, maintenance, replacement, upgrading (including increases in voltage and/or capacity), resiting or repositioning of existing above ground services (including their foundations), within a three dimensional corridor over the entire length of a line existing as at the time this <i>Plan</i> was Publicly Notified (13 May 2000) consisting of the following dimensions: a) Corridor <i>height</i>: the greater of either 10 metres above <i>ground level</i> or the <i>height</i> of the existing support <i>structures</i> including conductors; and 	A37.3.1	Existing above ground electric lines, including support structures, and existing above ground lines defined by Section 2(1) and (1A) of the Telecommunications Act 1987 where the:
				(a) Corridor <i>height</i> exceeds either 10 metres or the <i>height</i> of the existing support <i>structures</i> including conductors;
		conditions for Permitted Activities in Rules 2.0, 3.0 and 5.0.		and (b) Complies with the corridor width for <i>Permitted Activities</i> .
				Council shall restrict its discretion and may impose <i>conditions</i> in respect of the following matter:

		r	
			 Whether the visual effects on a viewpoint can be avoided, remedied or mitigated. In addition to the above, Council may impose a bond to ensure satisfaction of conditions of consent and a charge to cover monitoring costs.
		A37.4	Discretionary Activities
		A37.4.1	Activities that do not comply with the <i>conditions</i> for <i>Permitted Activities</i> or is not a <i>Restricted</i> <i>Discretionary Activity</i> .
		A37.4.2	Activities that do not comply with the <i>conditions</i> for <i>Permitted Activities</i> in Rules 2.0, 3.0 and 5.0
		A37.5	Non-Complying Activities
			There are no Non-Complying Activities.
38.0	38.1 Permitted Activities	B38.2	Controlled Activities
Introduction to Subdivision	A38.1.1 Subdivision is not a <i>Permitted Activity</i> .		There are no <i>Controlled Activities</i> .
(Subdivision Rules For The		B38.3	Restricted Discretionary Activities
Management Areas)			There are no Restricted Discretionary Activities.
		B38.4	Discretionary Activities
		B38.4.1	Subdivision complying with the following standards:
			 Each <i>site</i> shall have a minimum <i>site</i> area of at least 8000m²; and
		1	

The total number of <i>sites</i> that may be subdivided shall accord with the <i>Discretionary Activity</i> level set out in the Structure Plan; and
Each <i>site</i> shall contain a <i>building platform</i> of at least 200m ² ; and
Either:
(a) Each <i>site</i> shall contain a <i>building</i> <i>platform</i> and access to it that complies with the <i>conditions</i> for <i>building</i> <i>platforms</i> and <i>indigenous</i> <i>vegetation</i> <i>disturbance</i> as <i>Permitted</i> <i>Activities;</i>
or;
(b) The relevant <i>land</i> use consent(s) shall have been obtained; and
Application for <i>land</i> use consent for <i>site</i> <i>coverage</i> and <i>hard</i> <i>surface coverage</i> shall be made at the same time as application for subdivision consent; and

6.	It shall be demonstrated that each <i>site</i> shall be able to accommodate a <i>building</i> with a floor area of at least 160m ² with a maximum <i>height</i> of 6 metres above <i>ground level;</i> and
	(a) That would not exceed any sunlight control plans; and
	 (b) Where no part of the <i>building</i> would be <i>seen</i> against the sky when viewed from a <i>lake</i> or a <i>public reserve</i>); and
7.	Any application for subdivision consent shall include details as to how the landscape policies for each Bush Settlement Policy Area are to be given <i>effect</i> to and in particular, the areas of the entire <i>site</i> where existing <i>indigenous</i> <i>vegetation</i> is to be protected and where revegetation with <i>indigenous vegetation</i> is to occur; and
8.	Where 85% of the <i>site</i> does not have an intact cover (i.e., closed canopy) of predominantly indigenous species, a

Revegetation Plan shall be provided which complex with the following standards: (a) Revegetation Plan shall enable animum of S5% of the Bush Settlement Management Arca (below the A80m contour) to be elothed in <i>idigenous</i> regetation. B5% target is to be elothed in idigenous regetation. B40% the 380m contour) too be multiple as and other (below the 380m) contour) proposed as part of the stabilision: (b) Sol% of the indigenous iphuts astadirision: (b) Sol% of the indigenous iphuts used in the Revegetation Plan shall be capable of an ature height of an ature height of a mature height of an ature height effect means waterian and damp erregetated; indigenous iphuts acta in the revegetated; indigenous iphuts acta in the revegetated; iphut he errest shall be errege			
which complies with the following standards: (a) The Revegetation Plan shall enable a minimum of Stationant Stationant Stationant Management Area (below the Bash Settlement Management Area (below the Bash Settlement Management Area (below the Bash Settlement Management) Management Area (below the Bash Settlement Management) Management Management Area (below the Bash Settlement Management) Management Management Area (below the Solin Contour) to be coluded in individual Site Obson contour) proposed as part of the sublivision: (b) 80% of the Solin Contour) proposed as part of the subdivision: (c) Not solve of the solution of a mature briefit of of a mature briefit of a mature			
which complies with the following standards: (a) The Revegetation Plan shall enable a minimum of Stationant Stationant Stationant Management Area (below the Bash Settlement Management Area (below the Bash Settlement Management Area (below the Bash Settlement Management) Management Area (below the Bash Settlement Management) Management Management Area (below the Bash Settlement Management) Management Management Area (below the Solin Contour) to be coluded in individual Site Obson contour) proposed as part of the sublivision: (b) 80% of the Solin Contour) proposed as part of the subdivision: (c) Not solve of the solution of a mature briefit of of a mature briefit of a mature		shall be provided	
the following standards: (a) (a) The Revegetation Plan shall enable a minimum of 85% of the Bush Settlement Management Management Management Acra (below the 380m contour) to be be clotted in indigenous vegetation. This 85% to the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the vegetation Plan shall be capable of no less than 5 metres; (c) Any steep slow, wateres, shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated; idense in ow			
standards: (a) The Revegation (a) The Revegation a minimum of 85% of the Bush Settlement Management Area (helow the 380m contony to be be clothed in indigenous wregetation. This 85% of the 85% of the ash Settlement wregetation. This 85% target is to be clothed in indigenous wregetation. This 85% target is to be met for each (below the 380m contout) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegation Plan shalt be expable of an ature height of no less than 5 metres; (c) Any steep slope, gullies, watercourses, ripriaria and damp areas shall be revegated; (d) Any on-site effluent disposal areas biol be revegated with			
(a) The Revegetation Plan shall enable a minimum of 85% of the Bush Settlement Management Area (below the 380m contour) to be clothed in <i>indigenous</i> vegetation. This 85% target is to be met for each idividual site (below the 380m contour) proposed as part of the subdivision: (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, guillies, watercourses, rightman and damp areas shall be revegetated; (d) Any on-site cfluent disposal areas ball be revegetated; indigenous plans areas ball be revegetated; (d) Any on-site cfluent disposal			
Plan shall enable a minimum of 85% of the Bush Settlement Management Area (Nelow the 380m contour) to be clothed in indigenous vagetation. This 85% of the Bush Stategenes vagetation. This 85% of the indigenous vagetation. This 85% target is to be met for each individual site (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 meters; (c) Any steep slope, gulies, watercourses, riparia and damp areas shall be revegetated, (d) Any on-site effluent disposal <t< th=""><th></th><th></th><th></th></t<>			
 a minimum of 88% of the Bush Settlement Area (below the 380m contour) to be clothed in <i>indigenous</i> <i>vegetation</i>. This 85% target is to be met for each individual <i>site</i> (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature <i>height</i> of no less than 5 metres; (c) Any step <i>slope</i>, guilles, watercourses, riparian and damp areas shall be revegetated, (d) Any on-site effluent disposal areas shall be revegetated, 		(a) The Revegetation	
Style the Bush Suttement Management Area (below the 380m contour) to be clothed in indigenous vegetation. This vegetation. This vegetation. Status vegetation. Status vegetation. Status vegetation. Status vegetation. Status vegetation. Status vegetation. Status vegetation. Status vegetation. Vegetation. Vegetation. Status vegetation. Status vegetation. Vegetation. Vegetation. Vegetation. Vegetation. Vegetation. Vegetation. Vegetation. Vegetati			
Settlement Management Area (below the 380m contour) to be (clotted in <i>indigenous</i> wegeration. This 85% target is to be met for each individual site (below the 380m contour) proposed as part of the suddivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; "provegtated; (d) Any on-site effluent disposal areas shall be revegetated with dense			
Management Area (below the 380m contour) to be clothed in <i>indigenous</i> <i>vegetation.</i> This 85% target is to be met for each individual <i>site</i> (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature <i>height</i> of no less than 5 metres; (c) Any steep <i>slope.</i> gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on- <i>site</i> effluent disposal areas shall be revegetated with dense low		85% of the Bush	
Area (below the 380m contour) to be clothed in <i>indigenous vegetation</i> . This 85% target is to be met for each individual site (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, gullies, viatercourses, riparian and damp areas shall be revegetated; (d) Any on-stie effluent disposal areas shall be revegetated;		Settlement	
Area (below the 380m contour) to be clothed in <i>indigenous vegetation</i> . This 85% target is to be met for each individual site (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, gullies, viatercourses, riparian and damp areas shall be revegetated; (d) Any on-stie effluent disposal areas shall be revegetated;			
380m contour) to be clothed in indigenous vegetation. This 85% target is to be met for each individual site (below the 380m contour) proposed as part of the subdivision: (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a nature height of no less than 5 metres; (c) Any steep slope, guilies. watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated;			
be clothed in indigenous vegetation. This 85% target is to be met for each individual site (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low		380m contour) to	
indigenous vegetation. Niss S5% target is to be met for each individual site (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of an atture height of no less than 5 metres; (c) Any steep slope, guillies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated;			
vegetation. This 85% target is to be met for each individual site (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of no less than 5 metres; (c) Any steep slope, guilles, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effiltent disposal areas shall be revegetated; (a) Any on-site effiltent disposal areas shall be revegetated with dense low			
85% target is to be met for each individual site (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, guilies, waterourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low			
be met for each individual <i>site</i> (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature <i>height</i> of no less than 5 metres; (c) Any step <i>slope</i> , gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on- <i>site</i> effluent disposal areas shall be revegetated with dense low		vegetation. This	
 individual site (below the 380m) contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, guilies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low 			
 (below the 380m contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a matter <i>height</i> of no less than 5 metres; (c) Any step <i>slope</i>, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-<i>site</i> effluent disposal areas shall be revegetated with dense low 			
contour) proposed as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low			
as part of the subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low			
subdivision; (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, gullies, watercourses, riparian and damp areas shall be revegetated (d) Any on-site effluent disposal areas shall be revegetated with dense low		contour) proposed	
 (b) 80% of the indigenous plants used in the Revegetation Plan shall be capable of a mature <i>height</i> of no less than 5 metres; (c) Any steep <i>slope</i>, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-<i>site</i> effluent disposal areas shall be revegetated; (d) Any on-<i>site</i> of the revegetated with dense low 		as part of the	
indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low		subdivision;	
indigenous plants used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low		(\mathbf{b}) 80% of the	
used in the Revegetation Plan shall be capable of a mature height of no less than 5 metres; (c) Any steep slope, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low			
Revegetation Plan shall be capable of a mature <i>height</i> of no less than 5 metres; (c) Any steep <i>slope</i> , gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on- <i>site</i> effluent disposal areas shall be revegetated with dense low		indigenous plants	
 shall be capable of a mature <i>height</i> of no less than 5 metres; (c) Any steep <i>slope</i>, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-<i>site</i> effluent disposal areas shall be revegetated with dense low 			
 of a mature height of no less than 5 metres; (c) Any steep slope, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low 		Revegetation Plan	
of no less than 5 metres; (c) Any steep <i>slope</i> , gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on- <i>site</i> effluent disposal areas shall be revegetated with dense low		shall be capable	
metres; (c) Any steep slope, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low			
 (c) Any steep <i>slope</i>, gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on-<i>site</i> effluent disposal areas shall be revegetated with dense low 		of no less than 5	
gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on- <i>site</i> effluent disposal areas shall be revegetated with dense low		metres;	
gullies, watercourses, riparian and damp areas shall be revegetated; (d) Any on- <i>site</i> effluent disposal areas shall be revegetated with dense low		(c) Any steen slope	
 watercourses, riparian and damp areas shall be revegetated; (d) Any on-<i>site</i> effluent disposal areas shall be revegetated with dense low 			
riparian and damp areas shall be revegetated; (d) Any on- <i>site</i> effluent disposal areas shall be revegetated with dense low			
areas shall be revegetated; (d) Any on- <i>site</i> effluent disposal areas shall be revegetated with dense low			
revegetated; (d) Any on-site effluent disposal areas shall be revegetated with dense low			
(d) Any on- <i>site</i> effluent disposal areas shall be revegetated with dense low			
effluent disposal areas shall be revegetated with dense low		revegetated;	
effluent disposal areas shall be revegetated with dense low		(d) Any on-site	
areas shall be revegetated with dense low			
revegetated with dense low			
dense low			
		dense low	
indigenous cover			
		indigenous cover	

such as flax and shrubs;	
 (e) The plants shall only include indigenous species that occur naturally within the Tarawera Lakes Area/Rotorua Lakes Ecological District; and 	
 9. Prior to the issue of a Certificate pursuant to Section 224(c) of the <i>Resource Management</i> Act 1991, where the site is to be revegetated, an independent audit shall be carried out by a suitably qualified person to certify that the indigenous planting required by the Revegetation Plan has successful canopy closure of 90° with an average <i>height</i> of no less than 1.5 metres for 70% of the plants; and 	
 10. Each <i>site</i> shall be of such dimensions so as to include a circle with a diameter of 30 metres that incorporates the <i>building platform</i> and is exclusive of <i>buffers;</i> and 11. A covenant shall be 	
entered into with the	

	 2. The matters specified in Appendix 2.0 of Volume 2 of the Lakes A Zone. Council shall restrict its discretion and may impose
	<i>conditions</i> in respect of the following matters:Vesting of the <i>land</i> in
	the appropriate Roading Authority.
	 The standard of formation in relation to the function of the <i>road</i> and traffic characteristics in accordance with the standards specified in Appendix 2.0 of Volume 2 of the Lakes A Zone.
39.3.2	Subdivision for Private Roads and Private Ways
	Subdivision to create <i>sites</i> for <i>private roads</i> and <i>private</i> ways complying with the following standards:
	 The matters specified in Appendix 10.0 of Volume 2 of the Lakes A Zone.
	Council shall restrict its discretion and may impose <i>conditions</i> in respect of the following matter:

	• The standard of formation in relation to the function of the <i>private road</i> and <i>private ways</i> in accordance with the standard specified in Appendix 10.0 of Volume 2 of the Lakes A Zone.
39.3.3	Subdivision for Reserves
	Subdivision to create <i>sites</i> for reserves complying with the following standard:
	1. No <i>buildings</i> shall be erected.
	Council shall restrict its discretion and may impose <i>conditions</i> in respect of the following matters:
	• Nominating the purpose of the reserve.
	• Vesting of the reserve in the appropriate management authority.
39.3.4	Subdivision for Boundary Adjustments
	Boundary Adjustments between existing <i>sites</i> complying with the following standards:
	1. The <i>sites</i> shall be abutting; and
	2. There shall be no additional Certificates of Title created before and after the subdivision; and

3.	Any <i>site</i> created shall comply with the standards for the relevant Management Area or the degree of non-compliance with those standards shall not be increased before and after the subdivision; and
4.	Each <i>site</i> created after the boundary adjustment shall be able to meet the <i>conditions</i> for <i>building</i> <i>platforms</i> as <i>Permitted</i> <i>Activities</i> (refer Rule 6.0); and
5.	Each <i>site</i> created after the boundary adjustment shall be able to meet the <i>site</i> <i>coverage</i> requirements for the relevant management area (refer Rule 17.0) or the degree of non- compliance with those rules shall not be increased; and
6.	The Standards of Rule 40.3 .
	(a) The stopping or closing or a <i>road</i> ; and
	(b) The creation of a separate certificate of title under the Public Works Act 1981, or under the Local

	Government Act	
	1974, or by way	
	of survey office	
	plan, or under any	
	previous	
	enactment for	
	<i>land</i> severance	
	purposes and	
	where such sites	
	have an area of	
	less than 5	
	hectares and are	
	not being used for	
	a public work or	
	network utility;	
	and	
	(c) Where there is no	
	building platform	
	that could comply	
	with the	
	conditions for	
	building	
	<i>platforms</i> as a	
	Permitted Activity	
	(Refer Rule 6.0).	
	Council shall restrict	
	its discretion and may	
	impose conditions in	
	respect of the	
	following maters:	
	* Limits on the area	
	of <i>land</i> involved in	
	the boundary	
	adjustment to	
	ensure:	
	- Boundaries are in	
	practical locations.	
	_	
	- Site coverage	
	requirements can be met.	
	- The degree of	
	non-compliance is	

		not increased.	
		* Complying <i>building</i> <i>platforms</i> ensured and where necessary nominated.	
		* Complying <i>building</i> <i>platforms</i> ensured and where necessary nominated.	
	39.3.5	Subdivision for <i>Network</i> <i>Utilities</i>	
		Subdivision to create <i>sites</i> for <i>network utilities</i> complying with the following standards:	
		1. Each <i>site</i> shall contain a <i>building platform</i> that:	
		 (a) Complies with the conditions for building platforms as a Permitted Activity (refer Rule 6.0); and 	
		(b) Can be located so that <i>buildings</i> cannot be <i>seen</i> from a <i>viewpoint</i> ; and	
		(c) Would not necessitate the <i>disturbance</i> of <i>indigenous</i> <i>vegetation</i> or that a <i>land</i> use	
		consent required for any disturbance of indigenous vegetation shall	
	1		

have been obtained. 2. The General Subdivision Standards in Rule 40.3.1(1-6) Council shall restrict its discretion and may impose conditions in respect of the following matters: • The size and shape of the size. • The location of building plutforms away from skylines. ridgelines and viewpoints. • The size and placement of buildings. • The size and placement of buildings. • The size and placement of buildings. • Controlling enthworks. • Controlling continuous. • Controlling enthworks. • Where required for a particular in the General Subdivision of an elevanch willing, the provision of any relevant services as listed in the General Subdivision to create siles for routs, private rouds and private ways, network and private ways, network and private ways, network and private ways, network and for routs private rouds and private ways, network and private ways, network and for Kentriered Discretionary Activities.			
 discretion and may impose conditions in respect of the following matters: The size and shape of the site. The location of building platforms away from skylines, ridgelines and viewpoints. The size and placement of buildings. The size and placement of buildings. The size and placement of buildings. Controlling the disturbance of indigenous vegetation. Controlling earthworks. Where required for a particular network utility, the provision of any relevant services as listed in the General Subdivision Standards in Rule 40.3.1(1-12). 39.4. Discretionary Activities 39.4. Subdivision to create sites for roads, private roads and private ways, network autilities or reserves that do not comply with the standards for <i>Restricted</i> 		obtained. 2. The General Subdivision Standards in Rule	
site. * The location of building platforms away from skylines, ridgelines and viewpoints. * The size and placement of buildings. * Controlling the disturbance of indigenous vegetation. * Controlling earthworks. * Where required for a particular network utility, the provision of any relevant services as listed in the General Subdivision Standards in Rule 40.3.1(1-12) . 39.4.1 Subdivision to create sites for roads, private roads and private ways, network utilities or reserves that do not comply with the standards for <i>Restricted</i>		discretion and may impose <i>conditions</i> in respect of the	
platforms away from skylines, ridgelines and viewpoints. * The size and placement of buildings. * Controlling the disturbance of indigenous vegetation. * Controlling earthworks. * Where required for a particular network utility, the provision of any relevant services as listed in the General Subdivision Standards in Rule 40.3.1(1-12). 39.4 Discretionary Activities 39.4.1 Subdivision to create sites for roads, private roads and private ways, network utilities or reserves that do not comply with the standards for <i>Restricted</i>			
 of buildings. * Controlling the disturbance of indigenous vegetation. * Controlling earthworks. * Where required for a particular network utility, the provision of any relevant services as listed in the General Subdivision Standards in Rule 40.3.1(1-12). 39.4 Discretionary Activities 39.4.1 Subdivision to create sites for roads, private roads and private ways, network utilities or reserves that do not comply with the standards for <i>Restricted</i> 		<i>platforms</i> away from skylines, ridgelines and	
disturbance of indigenous vegetation. * Controlling earthworks. * Where required for a particular network utility, the provision of any relevant services as listed in the General Subdivision Standards in Rule 40.3.1(1-12). 39.4.1 Subdivision to create sites for roads, private roads and private ways, network utilities or reserves that do not create states for roads, private roads and private ways, network utilities or reserves that do not comply with the standards for <i>Restricted</i>		* The size and placement of <i>buildings</i> .	
 * Where required for a particular network utility, the provision of any relevant services as listed in the General Subdivision Standards in Rule 40.3.1(1-12). 39.4 Discretionary Activities 39.4.1 Subdivision to create sites for roads, private roads and private ways, network utilities or reserves that do not comply with the standards for <i>Restricted</i> 		<i>disturbance</i> of	
 particular network utility, the provision of any relevant services as listed in the General Subdivision Standards in Rule 40.3.1(1-12). 39.4 Discretionary Activities 39.4.1 Subdivision to create sites for roads, private roads and private ways, network utilities or reserves that do not comply with the standards for Restricted 			
39.4.1 Subdivision to create <i>sites</i> for <i>roads</i> , <i>private roads</i> and <i>private ways</i> , <i>network</i> <i>utilities</i> or reserves that do not comply with the standards for <i>Restricted</i>		particular <i>network</i> <i>utility</i> , the provision of any relevant services as listed in the General Subdivision Standards	
for roads, private roads and private ways, network utilities or reserves that do not comply with the standards for <i>Restricted</i>			
	39.4.1	for roads, private roads and private ways, network utilities or reserves that do not comply with the standards for <i>Restricted</i>	

	1	
		 39.5 Non-Complying Activities 39.5.1 Subdivision for Boundary Adjustments that does not comply with the standards for <i>Restricted Discretionary</i> <i>Activities.</i>
40.0	40.3	General Standards for Subdivision as a Restricted Discretionary or Discretionary Activity
General Subdivision Standards	40.3.1	In addition to all preceding subdivision rules the following standards and terms shall apply to all subdivisions in all Management Areas in the Lakes A Zone.
		Standards applicable to all subdivision:
		1. On-Site Access
		It shall be demonstrated that access can be provided to land within any nominated building platform clear of:
		(a) Any riparian area.
		(b) Any ephemeral watercourse.
		(c) Any <i>land</i> within the 2% AEP Lake Flood Level.
		(d) Any <i>land</i> with <i>slopes</i> exceeding 24°.
		2. Site Boundaries
		The boundaries of any site shall follow landform features to enable practical land management.
		3. Management Area Boundaries
		The boundary of any <i>site</i> forming the boundary between a Settlement Management Area and any Sensitive Rural Management Area shall be placed so as to allow reasonable vehicular access along the base or top of any hill face steeper than 15° in the non-settlement area, unless the hill face is, or is to be, a reserve.
		4. Earthworks
		Any land use consent required for any earthworks to be carried out as part of the subdivision shall have been obtained.
		In the case of <i>Restricted Discretionary Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matters:
		* Location and size of <i>building platforms</i> .
		* Location of <i>site</i> boundaries.
		* The location on- <i>site</i> , the extent, staging, time of day, season and weather <i>conditions</i> under which <i>earthworks</i> can be undertaken.

5.	Bond
	A bond may be imposed to ensure satisfaction of any <i>condition(s)</i> of consent.
6.	Monitoring
	Conditions may be imposed to:
	(a) Monitor the performance of any <i>condition</i> of consent; or
	(b) To impose a specific charge to cover monitoring costs.
7.	Sewage Disposal
	For each site containing a building platform; either:
	(a) It shall be demonstrated that each <i>site</i> is capable of supporting an on- <i>site</i> effluent disposal system that meets the sewage disposal <i>Permitted Activity conditions</i> for such systems; or
	(b) Each <i>site</i> shall be provided with a connection to an operational private or public community sewage disposal system that meets the sewage disposal <i>Permitted Activity conditions</i> for such systems; and
	In the case of <i>Restricted Discretion Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter:
	* The Matters set out in Rule 36.1.1.2.
8.	Water Supply
	For each site containing a building platform; either
	(a) It shall be demonstrated that each <i>site</i> has available a potable <i>water</i> supply from a nominated source; and
	(b) Where the nominated supply is an operational private or public <i>community water supply</i> system, and that system complies with the <i>conditions</i> for a <i>Permitted Activity</i> , there shall be a connection to the system provided at the boundary of each <i>site</i> .
	In the case of <i>Restricted Discretion Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter:
	* The Matters set out in Rule 34.1.1. and 34.1.2.
9.	Stormwater
	The design of the subdivision shall make provision for the anticipated requirements for the collection and disposal of stormwater for each <i>site</i> , and access to it, to accommodate any <i>building</i> or <i>hard surface</i> that would be permitted.
	In the case of <i>Restricted Discretionary Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter:
	* The Matters set out in Rule 35.1.1.
10.	Access and Vehicle Crossings
	Each site shall be provided with access to a road or private road or private way.
	Where the location of an access is either confined by <i>site</i> boundaries or limited for traffic safety reasons, a vehicle crossing shall be provided in accordance with the <i>Permitted Activity</i> rules for <i>vehicle</i> crossings.

In the case of <i>Restricted Discretionary Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter:
* The Matters set out in Rule 31.1.
11. Private Roads and Private Ways
Any private road or private way shall be provided in accordance with the relevant rules for Private roads and Private Ways.
In the case of <i>Restricted Discretionary Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter:
* The Matters set out in Appendix 10.0 of Volume 2 of the Lakes A Zone.
12. Roads
Any <i>road</i> shall be provided in accordance with the relevant rules for <i>roads</i> and shall be provided with a street naming <i>sign</i> .
In the case of <i>Restricted Discretionary Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter.
* The Matters set out in Rule 33.1.1 and Appendix 2.0 of Volume 2 of the Lakes A Zone.
13. Esplanade Reserves
(a) Where an <i>esplanade reserve</i> or <i>strip</i> is to be taken adjacent to a <i>lake</i> with a controlled level, the esplanade instrument shall be measured from the edge of the <i>water</i> when the <i>lake</i> is at its maximum permitted operating level. It shall not be assumed that <i>lakes</i> are level (flat), and the actual edge of the <i>water</i> when the <i>lake</i> is as its maximum operating level shall be determined by survey.
Note: The maximum operating level (Moturiki Datum) of Lake Okareka at its outlet (set in the year 2000) is 353.90 metres.
(b) On the creation of <i>sites</i> under 4 ha adjoining:
* Lakes over 8 ha; or
* Rivers over 3 metres within or adjacent to the Tarawera and Okareka Settlement or Bush Settlement Areas; or
* The Wairoa River where it is over 3 metres wide:
20 metre <i>esplanade reserves</i> shall be required on all margins. Any <i>esplanade strip</i> already present may be converted to an <i>esplanade reserve</i> in conformity with this rule.
In the case of <i>Restricted Discretionary Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter:
* Where an <i>esplanade reserve</i> is required that exceeds 20 metres, regard shall be had to Policy P15.2 and matters relating to compensation.
(c) On the creation of <i>sites</i> under 4 ha adjoining <i>rivers</i> over 3 metres wide, except as identified in Rule 40.3.1.13(b), <i>esplanade strips</i> not less than 5 metres wide shall be created on both sites. Where an <i>esplanade reserve strip</i> exceeds 5 metres, the widths shall be determined by:

* Natural Processes
* Existing indigenous vegetation
* Topography
* Buffering function
* Practicality
* Access requirements
* Indigenous fauna present
In the case of <i>Restricted Discretionary Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter:
* Where an <i>esplanade reserve</i> is required that exceeds 20 metres, regard shall be had to Policy P15.2 and matters relating to compensation.
(d) On the creation of <i>sites</i> under 4 ha adjoining permanently flowing <i>rivers</i> less than 3 metres wide within the Tarawera and Okareka Settlement and Bush Settlement Areas, reserves of not less than 5 metres wide shall be created on both sides. Where a reserve exceeds 5 metres, the width shall be determined by:
* Natural Processes
* Existing indigenous vegetation
* Topography
* Buffering function
* Practicality
* Access requirements
* Indigenous fauna present
In the case of <i>Restricted Discretionary Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter:
* Where an <i>esplanade reserve</i> is required that exceeds 20 metres, regard shall be had to Policy P15.2 and matters relating to compensation.
14. Land Improvement Agreements
(e) Where a <i>LIA</i> (Land Improvement Agreement) already exists in situations identified in Rule 40.3.1.13(b), <i>esplanade reserves</i> will be required in accordance with that rule; and
* Where the area retired under the <i>LIA</i> (Land Improvement Agreement) is less than 20 metres wide the <i>esplanade reserve</i> required will be 20 metres;
* Where the area retired is more than 20 metres wide the <i>esplanade reserve</i> will:
- Have a similar width unless there are exceptional circumstances, but may exclude areas identified within the <i>LIA</i> (Land Improvement Agreement) as being available for productive uses; or
- Be 20 metres wide with the balance protected by an alternative protective instrument.

	In the case of <i>Restricted Discretionary Activities</i> , Council shall restrict its discretion and impose <i>conditions</i> in respect of the following matter:	
	* Where an <i>esplanade reserve</i> is required that exceeds 20 metres, regard shall be had to Policy P15.2 and matters relating to compensation.	
40.4	Discretionary Activities	
40.4.1	Subdivision that does not comply with the General Standards for Subdivision 2, 7, 8, 9, 10, 11, 12 and 14 as <i>Restricted Discretionary Activities</i> .	
40.5	Non-Complying Activities	
40.5.1	Subdivision that does not comply with the General Standards for Subdivision 1, 3, 4, and 13 as <i>Restricted Discretionary Activities</i> .	

59

	r			
41.0	41.2	General Standards for Land Use and Subdivision as a Controlled or Restricted Discretionary Activity		
Consultation with Tangata Whenua	41.2.1	In addition to all preceding rules, the following standards and terms shall apply to all <i>Controlled</i> and <i>Restricted Discretionary Activity</i> applications and applies in All Management Areas within the Lakes A Zone.		
		Standards applicable to all Controlled and Restricted Discretionary Activities.		
		1. At the time of lodgement of any application for Resource Consent, the application shall be referred to nominated Tangata Whenua representative of the hapu holding Mana Whenua status for the <i>site</i> that is the subject of the application.		
	41.3	General Standards for Land Use and Subdivision as a Discretionary or Non-Complying Activity		
	41.3.1	In addition to all preceding rules, the following standards and terms shall apply to all Resource Consent applications, and applies in All Management Areas within the Lakes A Zone.		
		Standards applicable to all Discretionary and Non-Complying Activities.		
		1. Prior to the lodgement of any application for Resource Consent, consultation shall be required with nominated Tangata Whenua representatives of the hapu holding Mana Whenua status for the <i>site</i> that is the subject of the application.		
42.0	42.1	Permitted Activities	A42.2	Controlled Activities
Schedules A42.0 Schedule 1	A42.1.1	There are no <i>Permitted Activities</i> .	A42.2.	1 The following <i>buildings</i> and activities are <i>Controlled Activities:</i>
Lot 2 DPs 12358 Ronald Road Anticipated Environmental Results				1. A maximum of eleven guest bedrooms, including occasional use of the manager's accommodation for guest accommodation;
1. Operation and maintenance of				 Manager's accommodation. Communal dining and
exiting tourist lodge.				living facilities;
2. Maintenance and enhancement of the character and				4. <i>Buildings</i> and activities accessory to the foregoing <i>Controlled</i> <i>Activities;</i>
amenity of the surrounding settlement.				and complying with the following standards.
3. Protection and enhancement of				

the natural values associated with Lake Tarawera	Buffers: 2.5 metres.
and its margins.	Height: 7.5 metres.
4. Minor changes of scale and intensity	Site coverage not exceeding 25%.
of activity on the site.	Hard surfaces not exceeding 15%.
5. Minor adverse <i>effects</i> on the environment.	Parking and manoeuvring in accordance with the provisions of Appendix F that is part of Rule 1.1 of the Lakes A Zone (the full text version).
	Noise in accordance with the provisions of Appendix 5 of Volume 2 of the Lakes A Zone.
	Council shall reserve its control to the following matters:
	1. Anticipated Environmental Results of this Schedule.
	2. Design and external appearance of <i>buildings</i> and <i>structures</i> .
	3. Landscape design and <i>site</i> layout.
	4. Location and design of vehicular and pedestrian access to and from the <i>site</i> .
	5. Parking and manoeuvring.
	6. Management of noise.
	7. Management of <i>earthworks</i> .
L	

	8. Natural hazards.
	Council may impose <i>conditions</i> in respect of the following matters:
	* The Anticipated Environmental Results of this Schedule.
	* Requiring <i>buildings</i> and <i>structures</i> to be of a similar or complementary design and appearance to existing <i>buildings</i> and <i>structures</i> on the same <i>site</i> .
	* Requiring <i>buffers</i> in the form of yards, screening and landscaping or a combination of these.
	* Specifying <i>site</i> layout of <i>buildings</i> , parking and vehicular circulation areas.
	* Requiring the activity to be located, where practicable, away from abutting or adjoining activities so as to protect the privacy of those activities.
	* Requiring additional parking where the activity is likely to generate a need for parking beyond the requirements of Appendix F that is part of Rule 1.1 of the Lakes A Zone (the full text version).

			 * Specifying where on-<i>site</i> parking and <i>manoeuvring</i> areas are to be located and to require screening, fencing or landscaping to avoid adverse visual <i>effects</i> on neighbouring properties. * Noise controls and hours of operation. * Specifying soil retention or removal or landfilling methods. * Controlling the <i>effects</i> of activities in order to avoid or mitigate natural hazards. In addition to the above, Council may impose a bond to ensure satisfaction of <i>conditions</i> of consent and a charge to cover monitoring costs.
		A42.3	Restricted Discretionary Activities
			There are no <i>Restricted Discretionary Activities</i> .
		A42.4	Discretionary Activities
		A42.4.1	Any <i>building</i> or activity that is not a <i>Permitted</i> or <i>Controlled Activity</i> .
		A42.5	Non-Complying Activities
			There are no Non- Complying Activities.
43.0	43.1 Permitted Activities		
Tangata Whenua Structure Plans	No sites for Tangata Whenua Structure Plans have been identified within these Management Areas.		

I.....(Applicant or Agent for Applicant) have completed the above checklist. To the best of my knowledge have answered correctly and provided the information required with my application for a Project Information Memorandum or with my land use consent application.

SIGNED:

DATE:


LAKES A ZONE - SETTLEMENT MANAGEMENT AREA - CUSTOMER COPY

All words shown in *italics* within the Lakes A part of the District Plan and the attached checklist are defined within the District Plan. Those definitions most likely to need consulting while completing the attached checklist are reproduced below to assist with use of this checklist. Please consult the full text within the District Plan for definitions not listed.

AEP	:	Means Annual Exceedence Probability. A 2% AEP identifies a 2% (1 in 50) chance of there being an event (e.g. a flood) of this size or larger in any given year. Also known as a 50 year return period event.	
		With regard to river AEP flood levels, the levels include margins to cover design assumptions, estimate imprecision, and artificial interferences with flow paths. With regard to lake levels, the levels include margins to cover estimate imprecision, waves and local wind set-up, seiche, and the length of time lake levels can remain high.	
		The 2% AEP lake flood levels are: Okareka – 355.20 metres RL Moturiki datum Tarawera – 299.40 metres RL Moturiki datum Okataina – 314.90 metres RL Moturiki datum Rotokakahi – 395.90 metres RL Moturiki datum Tikitapu – 419.50 metres RL Moturiki datum	
Building	:	Means any thing constructed, whether temporary or permanent, moveable or immovable, including but not limited to:	
		 Additions to buildings; Tanks, containers, reservoirs or swimming pools exceeding 25,000 litres capacity; Cable cars, cable ways and similar devices; and Any thing that is a structural part of, or structurally attached to, a building including equipment, devices, tanks, masts, aerials, poles and satellite dishes; 	
		But excludes	
		 The interior of any building; Scaffolding erected temporarily while in the course of construction or maintenance purposes; Structures and Lakes Structures; Connections between structures and buildings by way of cables, wires, ropes and the like; Hard surfaces; Platforms, bridges, deckings and the like where they are less than 1 metre from the ground; 	
		 Outdoor storage; Septic tanks and infrastructure or utility services placed below ground level; and Signs. 	
Building Platform	:	Means the area of land on which a building is built or is to be built and includes any on-site effluent disposal system (e.g. a septic tank and its disposal field). The platform does not have to be shaped but can follow the natural lie of the land.	
Buffer	:	Means a separation distance or an area used to mitigate or avoid adverse effects that arise from one place being experienced in another. Special management may be required within the buffer, such as planting or exclusion of buildings.	
Disturbance	:	 Means the removal, clearance, destruction, cutting, crushing, desiccation or burning of exotic or indigenous vegetation; except: For normal domestic-scale trimming and maintenance; and The day to day maintenance of walking tracks; and The collection of plant material for scientific purposes, and The collection of plant material by the Tangata Whenua for maintaining traditional practices of rongoa (medicinal purposes), raranga (weaving) and mahi whakairo (carving). 	
Earthworks	:	Means the disturbance of land surfaces by excavation or filling, but excludes normal domestic and reserve gardening activities, normal turf and pasture maintenance and renovation practices, and the maintenance of walking tracks, farm and forestry tracks, driveways and roads.	
Ground Level	:	Means the natural level of ground before any earthworks have taken place. It also means the level of the ground after any authorised earthworks have been carried out before any subdivision is completed pursuant to section 224(c) of the RMA.	

Groundwater table	:	 Means the surface of the watertable. For the purposes of subdivision and development: Where the groundwater is influenced by a river or stream, either an identified winter groundwater level is used, or the groundwater table is established with reference to the water level in the river or stream; or Where the groundwater is influenced by a lake, the groundwater table is established with reference to the maximum control level for a controlled lake, or the 2% AEP flood level for an uncontrolled lake.
Hard Surface	:	 Means an area of land that is paved with an all weather impermeable surface, such as concrete, asphalt or cobblestones, or covered with a decking or platform, but excluding: Paved strips less than 1 metre in width; Driveways less than 3.5 metres in width (for the purpose of Rule 11.0 but not for Rule 35.0); Farm tracks less than 3.5 metres in width; Decking or platforms less than 10 m2 in area; Timber decking that has gaps between the boards, where the rainwater falls through the gaps to the ground; Buildings; Structures; Lake Structures
Hard Surface Coverage	: Means the portion of a site that may be paved or covered with hard surfaces. Any area provided for the purposes of access and including but not limited to roads, Maori roadways, rights-of-way, access lot and access legs, shall be excluded from the calculation of hard surface coverage for any site.	
Indigenous vegetation	:	Means any plant community containing indigenous species (which may include a canopy, subcanopy, understorey and ground cover as structural elements). It includes vegetation that has regenerated naturally or vegetation established with human assistance following disturbance or as mitigation for another activity. (Refer also to Indigenous Plant Species, Vegetation Unit and Vegetation Type.)
Lake Structures	:	 Means any thing constructed, whether temporary or permanent, moveable or immovable, where any part intrudes into, or is placed over, the waters of a lake, or is on land that would be covered by water when the lake is at its 2% AEP flood level; and including: Buildings Structures Walls and retaining walls built of any material including rock riprap or spawls But excluding Boats, motor craft and vessels.
Site	:	 Means: a) An area of land which is the smaller land area of either: i) Land comprised in a single allotment held in one certificate of title; or ii) Land comprised in a single allotment or the balance area on an approved subdivision scheme plan for which a separate certificate of title can be issued without further Council involvement. b) An area of land comprising two or more adjoining allotments held in one certificate of title that cannot be treated separately without the Council granting its consent. c) An area of land comprising two or more adjoining allotments held in two or more certificates of title where the titles are: i) Subject to Section 37 of the Building Act 1991: "Construction of building on 2 or more allotments"; or ii) Held together in such a manner that they cannot be assessed individually without the council. d) An area of Maori freehold <i>land</i> that either: i) Is <i>land</i> cented by way of partition under Sections 297 and 301 of Te Ture Whenua Maori Act 1993 (The Maori Land Act 1993) and held in one Maori Land Court Title, or ii) Is <i>land</i> defined by survey and created by way of partition into one parcel to be held by an owner who is a member of the same hapu, or owners who are members of the same hapu, or iii) Is <i>land</i> defined by survey and created by way of partition for a site for a dwelling under Section 296 of Te Ture Whenua Maori Act 1993 (The Maori Land Act 1993).

		 e) An area of Maori Customary Land. f) Is land defined by survey and reserved under the Reserves Act 1977 or Te Ture Whenua Maori Act 1993 (The Maori Land Act 1993). Not withstanding paragraphs a-f above, where land has been subdivided under the cross lease or company lease systems (other than unit titles), a site means an area of land containing: i) Building(s) for residential, commercial and industrial activities with any accessory building(s) and land exclusively set aside for the occupants/users of the building(s); or ii) Any share in the fee simple which creates a vacant part of the whole for future cross lease or company lease purposes; and Not withstanding paragraphs a-f above, any land subdivided under the Unit Titles Act 1972 (other than unit titles) a site shall mean either: i) The area of land containing the principal unit (or proposed unit) on the unit plan, and any identified accessories to that principal unit, or in addition to the above, the following shall apply: ii) The underlying certificate of title of the land containing the unit titles, immediately prior to subdivision. In addition to the above, the following shall apply: i) Where a site is crossed by a Zone boundary, the site is deemed to be divided into two or more sites by the Zone boundary; and ii) Where a site is divided by the District boundary, the area of the site remaining within the District shall be considered the site.
Site Coverage	:	Means that portion of the <i>site</i> over which <i>buildings</i> may be constructed. Any area provided for the purposes of access and including but not limited to <i>roads</i> , Maori roadways, rights-of-way, access lots, and access legs, and any eaves of a <i>building</i> that do not exceed 0.6m in width shall be excluded from the calculation of <i>site coverage</i> .
Structures	:	 Means any thing constructed, whether temporary or permanent, moveable or immovable, that is not a building and that is above ground level, including but not limited to: Tanks, swimming pools or containers that exceed 5000 litres capacity; and Walls or retaining walls that exceed 0.5 metres above ground level in height; Fences with panels, or with boards, pickets or rails that are closer together than their widths; Utility services; Towers, pylons, poles or aerials; Antennas, satellite dishes, rods; Caravans, tents, or other structures intended to be habitable; Constructions designed for children to play on; but excluding Hard surfaces; Lake structures;
		 Outdoor storage; Road formations and access formations; Scaffolding or falsework erected temporarily while used in the course of construction or maintenance purposes.
Sunlight Control Plane	:	 Means a surface through which no part of a building may protrude. It is defined by: Drawing sunlight control lines commencing at a height of 2.5 metres above and along the affected site boundaries; and Pointing the sunlight control lines into the site at a 28° angle above the horizontal at right angles along the affected site boundaries. The site boundaries affected by the sunlight control plane are those that are touched by the shaded portion of the Sunlight Control Plane Circle (i.e. between 135° and 225° from true north). Boundaries affected by the Sunlight Control Plane (refer to illustration examples below): Identify true north on the site plan and orientate the Sunlight Control Plane Circle to the true north point. Place the outside of the Sunlight Control Plane Circle to the inside of the site boundary. Move the sunlight control plane circle around the entire length of the site boundaries. The sunlight control plane shall apply only to the boundaries where the shaded area of the circle touches the site boundary.



Viewpoint : Means a *viewpoint* identified in the Viewpoint Map and the schedule of *viewpoints* attached thereto. Check with Planning Services Dept or Volume II full text Lakes A. The assessment of any effect on a view shall be confined to those effects within any pair of viewshaft bearings as identified in the Viewpoint Map and schedule, when seen from the *viewpoint* that forms the origin of that pair of viewshaft bearings.

Appendix K

See Lakes A zone - Volume II for details

Appendix \mathbf{F} – As it applies to Lakes A zone for houses. For other activities see Appendix F of the District Plan

	Typendin 1 The numprices to Exactly 11 Bone for nousees 1 of other activity	
Activity		Parking Performance Standard
	Household units (including dwelling houses, subsidiary household	1 for each unit, except for the Lakes A zone where 2 parking spaces for each unit shall be provided.
	units, residential accommodation and all like activities	